

Oy. 40

R.C.P. EDINBURGH LIBRARY



R19871N0236

2/6

10 y. 40

A PRACTICAL DESCRIPTION
OF EVERY FORM OF
MEDICO-ELECTRIC APPARATUS
IN MODERN USE,
WITH PLAIN DIRECTIONS FOR
MOUNTING, CHARGING, AND WORKING.

Illustrated by carefully drawn Engravings,

AND INTENDED TO SERVE AS A GUIDE TO MEDICAL MEN IN THE
SELECTION OF THEIR INSTRUMENTS, AND AS A HANDY
BOOK OF REFERENCE FOR ALL MECHANICAL
DETAILS CONNECTED THEREWITH.

BY

SALT AND SON,

ANATOMICAL MECHANICIANS TO H.R.H. THE PRINCE OF WALES,

IMPORTERS AND MANUFACTURERS OF
MEDICO-ELECTRIC APPARATUS,
21, BULL STREET, BIRMINGHAM.

LONDON:

J. & A. CHURCHILL, NEW BURLINGTON STREET.

1875.

Price Two Shillings and Sixpence.



Digitized by the Internet Archive
in 2015

<https://archive.org/details/b21962704>

P R E F A C E.

THE rapid strides which have been made during the last few years in the scientific application of Electricity for the relief and cure of diseases, render needless any apology for the publication of this little brochure, whose only claim to the notice of the Profession is that it lays before them in a clear and distinct form, and with the aid of accurate and carefully drawn illustrations, all the most approved of the many forms of apparatus which have been devised by physicians and others for their use.

All obsolete types, and such as lack authoritative professional recommendation, have either been discarded altogether, or passed briefly over, and a careful description of the mode of use is added for each instrument described, so as to enable a medical man to judge which form of apparatus is best suited for his special purpose ; the therapeutic mode of applica-

tion must, of course, be decided for each case individually, and lies beyond our province.

The descriptions and drawings are culled from various sources by the light of personal experience, and we may specially mention the excellent works by M. Duchenne, M. A. de la Rive, Dr. Tibbits' Manual on Electricity, and some valuable articles on the subject by Dr. Julius Althaus, which appeared in the "British Medical Journal" in 1873, and were lately reprinted in a separate form. Of course, in a descriptive work, treating of subjects which have been previously discussed, it is impossible to avoid an occasional apparent plagiarism, and we most gratefully acknowledge all assistance derived from other authors.

The prices of the various instruments described will be found in an Appendix; nearly every one is kept constantly in stock, and can be supplied, charged and ready for instant use, at an hour's notice.

21, BULL STREET, BIRMINGHAM,
December, 1874.

TABLE OF CONTENTS.

PART I.

GALVANIC BATTERIES.

Preliminary—Desiderata of a Galvanic Battery—The Becker-Muir-head Battery—Mode of Cleansing—Importance of Cleanliness—Leclanché's Battery improved by Gaiffe—Beetz's Battery—Gaiffe's Chloride of Silver Battery—Stöhrer's Chloride of Silver Battery—Pulvermacher's Flexible Batteries—Stöhrer's Hospital Battery—Description—Stöhrer's Portable Battery—Description—Mode of Mounting—Mode of Charging—Mode of Nursing—Mode of Amalgamating the Zinc Plates—Weiss's Galvanic Battery—Description—Mode of Charging—Mode of Depolarizing—Mode of Cleansing—Mayer and Meltzer's Compound Battery—Description—Mode of Charging—Mode of Working—Mode of Cleansing—Kidder's Battery—Sandy's Battery pp. 1—31

PART II.

ELECTRO-MAGNETIC MACHINES.

Preliminary—Characteristics of an Induction Battery—Stöhrer's Single-cell Induction Battery—The Cell—The Coils—The Interrupter—Mode of Using the Battery—Modifying the Power of the Current—Stöhrer's Double-cell Induction Battery—The

Cells—Mode of Connecting—Mode of Modifying—Improvements in the Interrupter—Weiss's Battery—Description—Mode of Use—Mackenzie's Battery—Mode of Use—Hearder's Battery—Duchenne's Larger Battery—Description—The Cells—The Coil—The Interrupter—Mode of Charging—Duchenne's Portable Battery—Description—Mode of Charging—Gaiffe's Battery—Description—Mode of Use pp. 32—56

PART III.

ACCESSORIES OF THE BATTERY.

The Conductors—The Rheophores—Sponge-holders—Discs—Olivary and Conical Rheophores—Brush Rheophore—Mackenzie's Laryngeal Rheophore pp. 57—60

PART IV.

GALVANO-CAUSTIC APPARATUS.

Middeldorpff's Battery—Mayer and Meltzer's Battery—Mayer and Meltzer's Improved Battery—Description and Mode of Use—The Galvanic Écraseur—Porcelain Cauteries—Platinum Cauteries—Observations on their Use pp. 61—66

APPENDIX.

Prices of the Batteries p. 67

INDEX OF ENGRAVINGS.

	PAGE
Fig. 1. The Becker-Muirhead Battery	4
„ 2. Gaiffe's Constant-current Battery	10
„ 3, 4. Pulvermacher's Chain Batteries	12
„ 5. Stöhrer's Hospital Constant-current Battery	14
„ 6. Stöhrer's Portable Constant-current Battery	17
„ 7, 8, 9. Foveaux's Battery	21, 22, 23
„ 10. Mayer and Meltzer's Compound Battery	26
„ 11. Kidder's American „ „	30
„ 12. Stöhrer's Single-cell Induction Battery	34
„ 13. Cell of Stöhrer's Induction Battery	35
„ 14. Stöhrer's Double-cell Induction Battery	39
„ 15. Foveaux's Induction Battery	41
„ 16. Mackenzie's Portable Induction Battery	44
„ 17. Dr. Hearder's Induction Battery	46
„ 18, 19. Duchenne's large Induction Battery	47, 48
„ 20. Duchenne's Pocket Induction Battery	51
„ 21. Gaiffe's Pocket Induction Battery	54
„ 22-3-4-5-6. Rheophores	58, 59, 60
„ 27. Morell Mackenzie's Laryngeal Conductor	60
„ 28. Electric Caution Battery and Écraseur	62
„ 29, 30, 31. Electric Cauterics	65

A PRACTICAL DESCRIPTION

OF EVERY FORM OF

MEDICO-ELECTRIC APPARATUS.

PART I.

GALVANIC BATTERIES.

THE apparatus employed for the generation of Electricity for medical purposes, may be divided into three classes, named respectively, Galvanic, Electro-Magnetic or Faradic, and Galvano-Caustic. To these may be added, Frictional or Statical, and Magneto-Electric batteries; these two types, however, have fallen greatly into desuetude, the former owing to their being too cumbrous for ordinary use and somewhat dangerous unless attended with great skill and caution in their application, and the latter from the little reliance which can be placed on their physiological effects: they are, however, handy and cheap, and as they are little liable to derangement, and require no preparation for use, may be employed where Electricity is only very occasionally administered.

The Instruments will be described in the order in which they have been named above, premising that we shall avoid, as far as possible, making invidious

distinctions or recommendations of any, contenting ourselves with pointing out what appear to be the particular advantages or drawbacks of each, and leaving our readers to form their own opinion as to their relative qualifications.

The desiderata of a good Galvanic Battery, are :—

1. That it shall furnish a stream of Electricity which shall be not only *continuous*, which is a property possessed by all batteries into whose construction a wire helix and contact breaker do not enter, but also *constant*; that is, that the current shall not be subject to fluctuations in intensity during use, nor become rapidly enfeebled through polarization, evaporation, or other causes.

2. The current must be of sufficient power, when used to its full extent, to penetrate to, and exert its influence on, the most deeply-seated nerves and muscles, and yet should be capable of being readily and promptly reduced during use, and without displacing the Battery, to a very small minimum. Provision should also be made, under the same conditions, for the reversal of the direction in which the current is guided, and for its absolute interruption.

3. The mechanism should be strong, simple, and durable, and as much as possible exposed to the view and touch of the operator, so that any little derangement can be rectified without the necessity of returning the instrument to its manufacturer. The use of all concentrated acids or corrosive solutions should be avoided, and provision made for the removal of the

elements from the action of the exciting fluid when not in use. Moreover, as time is usually a consideration of great importance to medical men, the operation of charging should present as little trouble and delay as possible.


4. The Battery should not be cumbrous in size nor exorbitant in price, though very cheap machines should generally be avoided, as sufficient care cannot be exercised in their manufacture to insure satisfactory results, and to prevent the annoyance experienced when, on an attempt being made to use the instrument, it is found to be out of order and to refuse to work.

Among the many forms of Batteries which have been constructed to meet these requirements, one of those which possess the greatest *constancy* is the Becker-Muirhead arrangement, as is shown by the prevalence of its use for telegraphic purposes; it is, moreover, stated by Dr. Althaus and other eminent authorities that its application is less irritating and its curative effects more decided than those of other Batteries, owing to the electric current, of low tension, which it generates, being collected with greater regularity from a far larger surface of elements. Against these advantages, however, must be set the fact that its size renders it somewhat cumbrous, and ill adapted for removal; it is therefore most suitable for the electrical departments of public hospitals, or the consulting rooms of practitioners who freely and habitually employ electricity as a therapeutic agent.

The external appearance of the Battery is shown below (Fig. 1), and its construction and mode of use are as follows:—

The elements, which are similar to those of a Daniells Battery, consist of any desired number of unamalgamated zinc, and thin copper-plates; the copper element of each pair is suspended in a porous cell containing a saturated solution of sulphate of

FIG. 1.



copper placed within a larger quadrangular cell filled with water, into which dips the zinc plate from the adjoining pair. The copper and zinc element of each neighbouring pair are in metallic communication, and the terminal plates of each set are respectively of the

two different metals; these cells, as above described, are arranged laterally in sets of ten, and each set is fixed in a strong covered wood box.

In the most usual arrangement, ten of these cases, or 100 cells, form the Battery, and are placed one above the other, in two rows, on a convenient frame; the current is collected separately from each five cells, and guided to the back of a dial plate or plates, on which the numbers of cells are inscribed in gradations of five, and by turning which any required number may be put in action. This dial may either be attached to the front of the Battery, or fixed to the wall of the consulting room, the Battery itself being placed out of the way in a clean dry cellar or other convenient place, and connected with the graduator by insulated copper wires.

As the power of the Battery is liable to become slightly diminished through evaporation of the fluid, oxidization of the connexions and other causes, a galvanometer is added, which is usually placed by the side of the dial, for the purpose of ascertaining whether this has taken place, and, if so, to what extent. This is effected by causing the current to pass in close proximity to a magnetic needle, freely suspended, which is thereby deflected to a greater or less extent in proportion to the quantity of electricity developed.

Dr. Tibbits has found by experiment that when the Battery is in perfect action, the angle of deflection is in accordance with the following scale:—

5 cells give 45° deflection of the galvanometer needle.						
10	„	57°	„	„	„	„
20	„	67°	„	„	„	„
30	„	70°	„	„	„	„
50	„	71°	„	„	„	„
100	„	73°	„	„	„	„

This would be the approximate scale for all similar Batteries, but the exact angle must be determined experimentally for each individual instrument. The method of applying this scale is obvious; for instance, should 5 cells give only 22° deflection, the Battery would be only half its normal strength, and a higher number of cells should be placed in action, where before five were sufficient. A commutator of simple form is added, to break the connexion between the Battery and the Galvanometer when the latter is not in use.

The mode of charging the cells is exceedingly simple, and can readily be practised either by the manipulator himself, or, under his superintendence, by any person of moderate intelligence; supposing them to be new and thoroughly clean, nothing more is needed than to fill the porous, or inner cells, nearly to the top with a saturated solution of sulphate of copper, and the outer ones with fresh water. The Battery will then be ready for use, and the conducting wires and appropriate rheophores can be forthwith attached to the dials.

After the Battery has been in use for a time, varying from six weeks to three months according to circumstances, the decreasing deflection of the

galvanometer needle will indicate a diminution in the force of the electric current, and is a sign that the Battery requires cleansing and re-charging. To effect this, the metal plates, or elements, must be removed from the cells and the old liquid thrown away; the plates must be then carefully scrubbed and freed from all impurities, and replaced after having been rinsed in clean water; every connexion should be taken apart, and the points of metallic contact gently rubbed with emery paper until quite bright, in order to remove any oxide which may have been formed, and which would greatly impede, or altogether arrest, the transmission of the current; the cells should then be re-filled as before.

We may here remark, as a general observation applicable to every form of Battery, *that cleanliness is the very essence of success in all applications of Electricity, and the absence of it gives rise to more disappointment and annoyance than every other cause of failure put together.* If a Battery is found to be out of order and to refuse to work, the reason will be, in nine cases out of ten, that some dirt has accumulated between one or other of the connexions, thus severing the continuity of the metallic contact; this should be diligently sought for, step by step, as it is astonishing how thin a film of non-conducting matter will interrupt the course of the current.

Another Battery, the action of which is exceedingly constant, is that of Leclanché as improved by M. Gaiffe of Paris. This Battery consists of a

number of jars, say twenty-four, standing on a square frame, which supports above it a board, on which are placed the graduator for selecting the number of cells to be used, a galvanometer for testing their state of activity, and the knobs which form the poles of the Battery, and to which the conducting wires are attached. The pairs, or cells, which communicate, *inter se*, by metallic connexions, consist of a rod each of zinc and gas-carbon passing through the mouths of the before mentioned jars, the remainder of which are filled up with powdered gas-carbon and native peroxide of manganese, saturated with a concentrated solution of chloride of ammonium; a cap made of vulcanite or other suitable material closes the vessel, and through it pass the zinc and carbon elements; it also has apertures to admit of the escape of the hydrogen and ammonia formed during the action of the Battery. Various forms of collector for this apparatus have been contrived, notably one by M. Tripier, by means of which the intermediate or terminal cells may be put in action independently of the initial ones, thus distributing the strain of the electric action over the entire Battery, instead of confining it, as is usual, when a part only is employed, to the first few cells.

This instrument is not as yet widely known or extensively used in England; possibly because its charging and cleaning can scarcely be accomplished by any one but the maker; moreover, though, owing to its great constancy, it is well fitted for occasional

work, spread over a long period, yet, as it is very subject to polarization, it does not serve so well for continuous work; after a while, too, fumes of ammonia are given off, owing to the decomposition of the chloride of ammonium with which the cells are charged, and which is very objectionable.


A portable Battery on the same principle of very simple form has been constructed by Professor Beetz of Munich. In this instrument a vessel of cylindrical form is partly filled with powdered charcoal, and partly with a concentrated solution of chloride of ammonium; a zinc rod, sliding through a vulcanite cover, passes through the chloride into the carbon, its free extremity serving as one pole of the cell, while a platinum wire passing through the bottom of the glass into the carbon acts as the other. A number of such cells, suitably combined, and with arrangements for graduation, form the Battery.

Passing on from the forms of which Leclanché's instrument is the type, we come to those wherein one of the elements is chloride of silver; these are principally manufactured by M. Gaiffe, and Dr. Stöhrer of Dresden. The former of these gentlemen has constructed two Batteries on this principle, one being very portable and cheap, and the other larger, and more generally useful. The first of the two takes the form of a small octavo volume, and contains from twenty-four to sixty pairs, consisting of a zinc rod, which together with a silver cup suspended by a silver wire, and containing chloride of silver, is im-

mersed in diluted sulphuric acid or a solution of table salt.

The larger form of the same Battery (Fig. 2) is contained in a wooden case, and possesses two

FIG. 2.



graduating handles, $M M'$, for the selection of the required number of cells; a galvanometer, c ; a pedal, G , for interrupting the current or giving shocks; and two clamps for the attachment of the conducting wires. This Battery is said to be handy, compact, and serviceable, and to be capable of working 800 hours without intermission.

Dr. Stöhrer's Chloride of Silver Battery is constructed on the same principle as the two last described, and comprises forty, fifty, or sixty pairs, with a lifting arrangement whereby they can be brought into, or taken out of action.

The pairs consist of cylindrical glass tubes six inches high, on the bottom of each of which is placed a small quantity of chloride of silver, which, when the glass is raised, comes in contact with a small strip of silver. In the upper portion of the tube, three inches from the chloride of silver, a cross of zinc is placed, and the cells are charged with diluted sulphuric acid in the proportion of one in ten.

It is necessary to close the circuit of this Battery for from five to ten minutes to allow of the decomposition of some chloride of silver, without which it would not act; on the other hand, when all the chloride is decomposed, which becomes evident by the appearance of bubbles of hydrogen, more must be added at once, or the action (for that cell) would cease, and the Battery be weakened *pro tanto*. Dr. Althaus says this phenomenon does not always occur simultaneously with all the pairs, but generally first in one and then in another, and must be watched for, and remedied immediately, wherever it appears, by adding fresh chloride of silver. This forms a very serious objection to the use of the Battery.

We will sum up our ideas of this class of instrument in the words of the above-named authority. "The Chloride of Silver Battery may, on the whole,


be said to be still on its trial; we have no intimate practical acquaintance extending over a long space of time, with any of the arrangements described above. A drawback to Gaiffe's old Chloride of Silver Battery was that it began to leak after having been in use some time, but this has now been obviated by employing a much smaller quantity of liquid than formerly."

Among other forms of constant current Batteries which the practitioner may occasionally employ, are Pulvermacher's Chain Bands, and Flexible Batteries; these are intended either to be worn upon the body in certain nervous and kindred diseases, or to be used in the ordinary way, either as continuous, or interrupted current Batteries. A general idea of their appearance may be obtained from the diagrams,

FIG. 3.



FIG. 4.



Figs. 3, 4. Fig. 3 is a flexible chain, or band, composed of alternate pieces of zinc and copper wire,

suitably connected, but prevented from being in actual contact by cotton threads laid between them; they are made of different lengths and terminate at each end with a plate bearing a wire loop whereby they can be attached to each other in combination if necessary. The plate coloured white is connected with the zinc, and that coloured yellow with the copper pole, and tapes are provided to facilitate the fixing them on the body. They are set in action by being passed two or three times from end to end through a mixture of vinegar and water in the proportion of one in four; this should be repeated at intervals, the moisture and acidity of the skin continuing the galvanic action meanwhile.

Fig. 4 represents a more powerful Battery in which the elements are formed of cylinders of copper containing within them smaller cylinders of zinc; this form is intended to be used by means of electrodes and sponge-holders, or, with the aid of an ingeniously arranged little "trembler," as an interrupted current Battery.


We now come to the series of Batteries most widely known and generally employed, and will commence with those invented and manufactured by Dr. E. Stöhrer, of Dresden, as they were the models whence most of the constant current Batteries now in common use originated.

This inventor, besides the Chloride of Silver Battery already described, has introduced two forms of instrument—the one being intended for hospital, the

other for private practice. The principle involved in both is identical, and the construction only differs so much as is necessary to fit them for their respective uses.

The Hospital Battery (Fig. 5) is contained in a stout oak case, folding to the top so as to expose its contents, and having an iron handle at each end; the

FIG. 5.



lower part of this case contains two wooden trays, one occupying each longitudinal half of the box, and both resting on a flat shelf with wings like a book tray. This shelf can be raised or lowered by means of two ebony handles, which project from the ends of the box, and which, when they have attained a certain elevation, may be turned a quarter of a circle either to the left or right, when they will prevent the shelf from again descending until the action is reversed and it is intentionally lowered; each tray supports fifteen

or twenty quadrangular glass cells, according to the size and strength of the Battery.

Along the top of the case, from end to end in the centre, is placed a wooden bar, called the plate-carrier, deeply grooved superiorly, to which are attached the elements so as to dip into the before-mentioned glass cells, when the latter are raised ; the bar is pierced with as many notches, half on each side, as there are cells, and in the front of each notch a hole is drilled ; on the extreme left-hand side there is only one hole, which is in the centre, between the two notches. The elements consist of carbon and amalgamated zinc plates, and are suspended from the plate-carrier by means of copper wires passing through the notches and fitting into the holes referred to, bent downwards in an arch, and furnished at the lower extremity with a boss transfixed with a screw ; on these screws the plates are fixed, the zincs on the left, the carbons on the right, and screwed home by nuts ; the hole in the centre at the left hand is occupied by a copper arch, carrying a carbon plate on the nearer, and a zinc plate on the farther arm. On the right-hand side of the Battery, the copper wires carry respectively a carbon and a zinc plate only. The whole is so arranged that each wire serves as the connexion between two cells, its carbon dipping into one and its zinc into the other ; the plate-carrier is numbered progressively from left to right with the number of the cells by twos.

For the purpose of collecting the electricity gene-


rated by the Battery, and selecting the number of cells appropriate for each case, a wooden block or sledge is made to slide tightly along the plate-carrier, its under surface being in metallic connexion with the copper wires supporting the elements. On the top of this block are the clamps for receiving the conducting wires, and an ingenious commutator for reversing or cutting off the current: if this commutator be turned so as to be perpendicular to the user, the current is cut off; if to the right, the right-hand stud is negative and the left positive, and the contrary if turned to the left; the centre of the slide indicates the number of cells employed, and the electrodes, sponge-holders, and carbon rheophores are contained in a small drawer in the lid of the case.

This Battery is made in three sizes, containing respectively twelve, thirty, and forty cells.

Stöhrer's portable constant current Batteries (Fig. 6) differ, as has been stated, in no material point from those last described: the cases are made of mahogany, and are much smaller, lighter, and neater; the cells are of vulcanite instead of glass, and those of each side are moulded in one piece instead of each being separate; they are raised and lowered in a precisely similar manner. The commutator on the sledge is rather differently constructed, being composed of a cylinder rotated by a lever instead of a revolving disc, but its mode of action is identical, the current being cut off when the handle is upright, and the right-hand pole

negative when it is turned forward or towards the spectator, and positive when it is turned backwards or

FIG. 6.



away from him. These Batteries are made of two sizes, furnished respectively with twenty and thirty cells each.

The construction of these instruments having been thus carefully described, it remains to explain the method of mounting and charging them, premising that the same remarks apply to both forms.

As they are imported from Dresden, they cannot be sent fitted up ready for use, but are taken to pieces and carefully packed. On their arrival it will be found that the carbons have been removed from the copper wires, and packed two by two in the cells; the

nuts which held them are partially screwed on again, and the zincs, still attached to the wires, placed in the unoccupied cells.

First, remove the whole of the plates, wires, &c., from the case, and empty away any straw or rubbish which may lie therein ; then select the arch for the left-hand side, fix to it a carbon and zinc by means of the little wrench which will be found in the lid, and push the centre peg as far as it will go into the central hole of the plate-carrier. Then take any one of the zinc plates with nut attached, and screw on to it a carbon plate, placing the end of the wire into the next hole to the right of the one already occupied, so that the zinc dips into the first cell and the carbon into the second. Proceed in this manner until you come to the last cell on the right-hand side, which must terminate with zinc, for which purpose you will find a wire with single screw. Going now to the other side, the plate opposite the single zinc must be a single carbon similarly fixed ; the intervening spaces to be filled up as before. All the wires must be carefully pushed down between the notches, so as to allow the sledge to slide freely between them, and care must be taken in handling the carbons, as they are rather brittle. It will be found better to raise the tray of cells during the process of mounting, that the position of the plates relatively to them may be more easily seen.

The Battery is now ready for the reception of the exciting fluid, which is diluted sulphuric acid in the

proportion of one to twenty, or a little stronger; this should be poured through a small porcelain funnel into each cell until it is filled to within half an inch of the top. A small pinch of bisulphate of mercury is put into each cell, and the selector or sledge placed so that its CENTRE rests immediately over one of the copper wires; this is very important. The electrodes and rheophores are attached, and the circuit completed, when if all has been properly done, the hissing sound attendant on voltaic action will immediately be heard. When carbon poles are used, and very closely approximated, the electric light should be brilliantly visible.

Should the hissing noise be heard without completion of the circuit, it is clear evidence that some, or all, of the plates want re-amalgamating. When out of use the tray must be lowered so as to remove the acid from contact with the plates; the cells will then be not more than one-third full, and with moderate care the contents can hardly be spilled; but if a little should be upset, it can be removed by taking out a small wooden plug at the bottom of the left-hand side of the case, which should be slightly inclined so as to allow the overflow to run out. Care must be taken that no metal vessels are employed for the reception of the acid.

The Battery, when thus charged, should last without further care or attention from two to three months; if, however, through constant use or evaporation of the fluid the action has become weakened meanwhile,

a teaspoonful of concentrated sulphuric acid and a little water may be added to each cell to supply the loss. When this "nursing," as it is called, fails to restore the Battery to its original activity, it must be dismounted and recharged, the carbons and connexions thoroughly cleaned, and the zinc plates re-amalgamated. The copper wires should be cleaned with sand-paper at their points of junction, and the carbons gently scrubbed in warm water with an old nail-brush.

The mode of amalgamating the zinc plates is as follows:—After being separated from the wires, they should be dipped for a minute or two in tolerably strong sulphuric acid (one in eight) and held over a saucer while a small quantity of quicksilver is poured over them, and rubbed in with a hare's-foot, or bit of washleather tied on a stick until it adheres, and an uniform bright surface is obtained; each plate should then be plunged again into the acid to see if any bubbles arise, which is a proof that some part of the surface is left unprotected, and the process must be repeated until they cease to appear; the whole of the parts should then be left to dry for twelve hours, and screwed together in the same order as before.


Without wishing to transgress the rule as to recommendation laid down in the preface, we may say that the Batteries made by Dr. Stöhrer after the foregoing patterns are always satisfactory, and being very simple in their mechanical construction, are little liable to get out of order, and require a very

small amount of manual dexterity in their preparation and use.

A most serviceable and convenient form of portable constant current Battery is that designed by Mr. Foveaux, of the firm of Weiss and Son, drawings of which are given below (Figs. 7, 8, 9).

Fig. 7 illustrates the Battery complete and ready

FIG. 7.




for action, with the conducting wires and sponge-holders attached. Figs. 8 and 9 represent respectively

the element board and plates, and the tray containing the cells, or receptacles for the exciting fluid.

The Battery before us is on Smee's principle, and consists of fifty pairs of zinc and platinized silver plates attached to an element board (Fig. 8), on the

FIG. 8.




top of which are the clamps for receiving the conducting wires, and a dial plate with twenty-five divisions, round which traverses an arm with index for regulating the number of cells to be put in use ; the divisions are numbered consecutively from two to fifty, advancing by graduations of two, so that the power can be very delicately regulated. Concealed in the thickness of the element board are the connecting wires which collect the electricity developed in the individual cells, and accumulate it beneath the dial plate.

The cells (Fig. 9) are of porcelain, and are packed in a box, as shown in the drawing, so as to exactly coincide in vertical position with the plates suspended to the element board, beneath which they are placed

on a tray supported by a system of levers in connexion with the lid of the box, so ingeniously contrived that when the lid is opened and thrown back, the cells with their contents are elevated into contact with the plates, and the Battery is thus put in action,

FIG. 9.



whereas, on closing the lid, they are immediately lowered into their former position, out of contact, and all action ceases: so that the almost instinctive action of closing the case after use prevents unnecessary waste both of acid and zinc. A drawer at the bottom of the box contains the conducting-wires, sponge-holders, and a small vulcanite measure holding the exact quantity of acid required for charging each cell. The Battery is nicely finished and portable, being only fourteen inches long, seven and a half inches wide, and ten and a quarter inches deep; these measurements refer to the instrument we have been describing, which contains fifty cells, but smaller ones are made, of exactly similar construction, having respectively twenty, twenty-five, and thirty pairs of elements each.

To charge this apparatus the element board and elements (Fig. 8) should be lifted bodily out, and laid on the table bottom upwards, so as to avoid injuring the zinc or silver plates; the tray of cells should then be lifted out by means of a brass ring, which will be found at each side of the tray; each cell is then to receive one measureful of diluted sulphuric acid (one in twenty or thirty) and the whole replaced as before, when the Battery will be ready for action.

Dr. Althaus says that some inconvenience is experienced in the use of this Battery, owing to polarization, which materially diminishes its activity, even, when not freshly charged, during the course of a single application of electricity. As a remedy he suggests that the lid should be closed and immediately reopened once or twice, a process which, by the rapid emersion and immersion of the plates, mechanically wipes off the bubbles of hydrogen which polarize the platinum, and restores the instrument to its former energy. Failing success in this manœuvre, or if the invariable hissing noise is not heard on closing the circuit, the cells must be refreshed with a little concentrated sulphuric acid, as was recommended for Stöhrer's Battery under similar circumstances, or, as the case may be, emptied and altogether recharged.

Occasionally, after long or frequent use, the zinc plates become foul, and require cleansing and re-amalgamation, which would be evidenced by hissing or bubbling in one or more of the cells when the


circuit is *not* closed. To effect this, the element board is removed from the Battery, and its cover unscrewed, when the connexions between the plates *inter se*, and with the dial, and the couplings between the two metals of each pair will become visible; these must all be unscrewed, and the zinc pairs carefully cleansed from any accumulated sulphates with a stiff brush dipped in diluted sulphuric acid, and well re-amalgamated in the usual manner, dried, and replaced in exactly their former order; the platinized silver plates will require no attention, and must be preserved from contact with the mercury.

These directions may be followed without much difficulty by any one possessed of a moderate degree of mechanical skill, but unless the distance is very great, or some insuperable obstacle stands in the way, we should strongly recommend that the Battery be sent to the house from which it was obtained to be re-amalgamated, as a very slight mistake in putting together would derange its action. With care, however, it is a most efficient and reliable instrument, capable of standing any amount of hard work, and very little liable to get out of order.

Messrs. Mayer and Meltzer have constructed a very ingenious Galvanic Battery which, in addition to the apparatus heretofore described, is provided with a well-made primary and secondary induction coil, with current-breaker, &c., the description of which, however, will come most properly under the head of Induction Machines.

The constant current Battery of this apparatus (Fig. 10) consists of twenty pairs of carbon and amalgamated zinc elements suspended from an element board, on which a vulcanite sledge, or

FIG. 10.



selector, is made to traverse, whose under side is in metallic communication with wires passing through the element board and connected with the plates, whilst its upper surface bears upon it a commutator or reverser of the current, and the clamps for carrying the conducting-wires; a galvanometer is added for ascertaining the condition of the Battery, and two folding handles whereby the element board, with plates attached, can be lifted bodily out of the case.

The cells are made of vulcanite, in sets of four, and, when not in use, remain out of contact with the plates at the bottom of the case, whence they can be raised, four at a time, by means of five brass rods working in the woodwork at the back of the case so tightly, that they cannot descend unless purposely pushed down. By a recent improvement the whole number may be raised *en masse* out of the case if desired, for cleansing or other purposes. The induction apparatus is situated to the left of the Battery, and a drawer underneath it contains the conducting wires and rheophores, and a measure holding the exact quantity of acid required to fill each cell.

This instrument, as now produced, is greatly altered from its original form, being vastly improved and simplified. It is also made, as a constant current Battery only, by the omission of the Faradic apparatus; the accessories are then contained in a drawer in the lid of the case.

The Battery is charged with diluted sulphuric acid in the proportion of one in twenty, and the process is effected in the following manner. Lift out the element board and elements by means of the two looped handles, which will be found one at each end, and draw up the cells by the brass rods at the back; in each place one measureful of the acid, and a pinch of bisulphate of mercury, and carefully replace the cover as before.

To set the continuous current Battery in action, affix the conducting cords to the clamps on the sledge, and

turn the commutator handle to p, the bridge standing at 4; then draw up the first set of cells by the wire marked 4, whereby four cells are brought into action; if eight or more are required, draw up No. 8 as well, and push the bridge along to correspond with 8, and so on up to 20, if all are required in action.

To set the Induction Battery in action, insert the two small cords one in each hole in the cover, and the other ends in holes in the flat brasswork of the element board; draw up four cells as before, and the Battery will be in action. A more exact description of the mode of using Faradic Batteries will be found further on; suffice it now to say that provision is made for a primary and secondary current, with a commutator for the selection of either, and a graduating lever is added for modifying the intensity of the shocks.

With this Battery, as with Weiss's, if the zinc plates require re-amalgamating, it is desirable to send it to the maker or agent, by whom it can be speedily and effectually done; but should the user determine upon attempting it himself, the following is the method of separating the plates: the actual process of amalgamation is of course the same as has been previously described.

Remove the slide from the element board, and lift the latter out of the case, laying it upside down on a table; with a small screw-driver loosen, but do not take out, the screws which appear between each pair of elements; lift each pair of plates, holding it by


the zinc, directly upwards, when it will disengage from a pin attached to the element board and fitting into it; the zinc and carbon plate can then be separated by removing a screw with which they are transfixed. After the work of cleaning and amalgamation has been performed, the whole must be dried and carefully replaced exactly in the same order and position as before. Great delicacy is required in handling the carbons, as they are somewhat brittle; should one get broken at or near the end or right-hand side of the Battery, it is of little consequence, as the only result is loss of the power generated by the terminal cells, all the others being still available; but if the broken plate is in the beginning or centre, one should be taken from the end and substituted for it, pending the arrival of a new one from the maker.

With regard to this Battery, Dr. Althaus says:—
“This instrument is complete for all purposes of medical electricity; it has, however, yet to be shown whether there will be any real advantage to country practitioners in this arrangement, as it might be objected to it that where the practitioner has two instruments, one for galvanization and the other for Faradization, and one of them were to get out of order, he would not be entirely deprived of some source of electricity while the one instrument was being repaired; while, if anything happened to the combined arrangement, he would be altogether bereaved for a time. We do not say this by way of

disparagement of the idea, which deserves all praise, but merely to suggest that there are two sides to the question."

The Americans have introduced a number of new Batteries, but none of them, so far as we know, involve any new principle or very different mode of construction; we borrow the drawing of Dr. Jerome Kidder's Battery (Fig. 11), which appears to be well

FIG. 11.



made, and to possess some advantages, from Dr. Althaus's report. The plates are of carbon and zinc, excited by sulphuric acid, and the cells are raised by means of a winch and pulley outside the box; the selector is circular, on Foveaux's principle, and is so arranged that the current may, at will, be interrupted

or not, whilst altering the number of cells in action ; a commutator of rather novel construction is added, and a toothed wheel working against a tense spring for interrupting the current.

These Batteries are not common in England, nor is it likely they will ever come into serious competition with the many excellent instruments made on this side of the Atlantic.

A constant current Battery, the invention of Mr. J. H. Sandy, Electrician to Guy's Hospital, has been shown to us by Messrs. Evans, Lescher, and Evans, his agents, in which the supply of acid to the plates is furnished by means of pads ordinarily resting on a piece of india-rubber sponge, saturated with dilute sulphuric acid, but raised into contact with the elements by opening the lid of the case after the manner of Foveaux's Battery already described. We have been unable at present to obtain a woodcut of this instrument. It possesses a travelling selector, and appears to be well considered and well made ; it lacks, however, a commutator for reversing the course of the current without shifting the electrodes.

Here closes the series of constant current Batteries, from which we have endeavoured to omit none of established merit. The next Part is devoted to the description of Batteries constructed for the employment of the induced current.

PART II.

ELECTRO-MAGNETIC MACHINES.

THE phenomenon of Induction is the result of the circulation of an electric current through two helices or spirals of wire of different lengths and thicknesses, surrounding a cone consisting of a rod of soft iron, or preferably, of a bundle of soft iron wires.

We do not propose to enter here into any explanation of the theory of this singular development of electric power, as it is a theme which belongs to the realm of Physics, and would be misplaced in a practical treatise like the present. The complete and exhaustive work of M. A. De la Rive will furnish those who seek it with every information on the subject, together with numberless researches and experiments concerning the nature of the force and the laws which govern it; our business is with its production and regulation for medical purposes.

The generating and sustaining agent of an induction machine is in all cases one or more pairs of elements, seldom exceeding two; the electro-motors may be of many kinds and various shapes, and acted upon by any substance capable of liberating electricity, which is transferred by conducting wires to the two coils of copper wire before referred to. Its action there is to

instantaneously impart to the soft iron core a strong charge of magnetism, by virtue of which it attracts a hammer suspended by a light spring above or at the side of it, thus withdrawing the hammer from a previously existing metallic contact. The course of the current is in consequence intercepted, and the soft iron core loses its temporary magnetism as instantaneously as it acquired it, and ceases to attract the hammer, which under the influence of the spring, regains its former position, restoring the contact and producing a very rapid recurrence of the same order of events as long as the circuit remains intact and the Battery continues to work.


The external and visible results of this action are a gentle humming noise, caused by the vibrations of the hammer, and the production of a succession of minute flashes of electric light ; insulated cords connected with the extremities of the helices and carrying metallic plates produce on the body a disagreeable tingling sensation, which, if the power be sufficient, may increase till it becomes most acutely painful.

The above are the common characteristics of all Induction Batteries. We will now proceed to a description of all the most ordinary and really useful types and of their mode of use, premising that their internal construction is far more complex and delicate than that of continuous current Batteries, and that if anything connected with the coils (we do not speak of the Battery, which is usually simple enough) gets out of gear, it is most unwise for any one

to meddle with it except a mechanic thoroughly conversant with the work, who can readily and speedily discover and rectify what is amiss.

The Induction Batteries manufactured by Dr. Stöhrer, of Dresden, are among those most widely known and generally approved. They are of two kinds, one being furnished with a single cell only, the other with two; they differ moreover, as will be explained below, in the arrangements for graduating and interrupting the current.

FIG. 12.




The single-cell Battery (Fig. 12) is divided into two parts, that on the left containing the elements

and cell, and that on the right the coils, vibrating-hammer, the regulator, clamps for electrodes, and a drawer for rheophores and accessories.

The Battery, of which a separate illustration is given (Fig. 13), is composed of a pair of carbon and zinc elements, acted upon by diluted sulphuric acid, in the proportion of one in eight; the carbon is cylindrical in form, and hollowed at the top for the reception of some

FIG. 13.



fine sand, moistened with a concentrated solution of chromic acid. It is surrounded by a hollow cylinder of amalgamated zinc with lateral slot, which, however, is insulated from it by small buttons of glass let into the carbon. The carbon cylinder is closed at the top with a glass stopper, and encircled with a metal clamp; wires proceed both from the zinc and carbon elements to connect them with the coils.

The elements are received in a circular glass cell, resting upon a tray secured to a brass rod having a handle whereby the cell can be raised or lowered so

as to bring its fluid contents into, or remove them out of contact with the elements, which remain suspended by the wire connexions; the brass rod may be fixed at any elevation by a binding-screw, the head of which appears outside the case. The cell is charged with dilute sulphuric acid to about one-third of its capacity.

The induction apparatus, contained in the right-hand side of the box, consists of an inner and shorter coil, surrounding a soft iron core, and composed of thick insulated copper wire fixed immovably on a pedestal, and enveloped by a second coil, much longer and finer than itself, and capable of being drawn up quite over the first or primary coil, or pushed down so as to be almost entirely beneath it.

The interruptor consists of a square piece of iron, which is attached to a light spring, and vibrates to and fro, accordingly as the current is made or broken by the magnetization and subsequent demagnetization of the soft iron core; a regulating spring, acted upon by a platinum-pointed screw impinging on a small platinum disc on the hammer, increases or diminishes the relative pressure of the two, and modifies the rapidity of the interruptions and the intensity of the shocks; the tighter this screw presses against the spring, the less frequent will the interruptions become, and the more intense the shocks. The two clamps marked *p* connect the conducting wires with the primary, and those marked *s* with the secondary coil.

The management of this apparatus is exceedingly simple. The elements being fixed firmly in their places, and the nuts screwed home, the cell is one-third filled with dilute sulphuric acid, as before stated, drawn up to a greater or less extent, and fixed by the external binding-screw, when the vibration of the hammer will at once commence, its rapidity being regulated by the set screw. Supposing the primary current to be in requisition, the wire conductors are inserted in their proper clamps, and their further ends screwed to appropriate rheophores.

The power of the current may be modified in three ways :—

Firstly.—By the extent to which the elements are subjected to the action of the acid ; when this is fresh, and the plates well amalgamated, a very slight immersion is sufficient.

Secondly.—By the tension of the spring as governed by the set screw.

Thirdly.—By inserting a short wire arch, which will be found in the drawer, into the holes of the two clamps of the secondary current, and drawing up the wooden handle, and with it the secondary coil, to its full extent. By a judicious use of these means or a combination of them a wide range of power is attainable.

The secondary current is obtained by connecting the electrodes with the two clamps marked s, and is completely under the control of the wooden handle,

which draws the secondary coil more or less over, and under the influence of, the primary coil; the current is weakest when the rod is pushed down, and strongest when it is drawn up, the intermediate degrees being marked by numbers on the rod.


In case the zinc becomes bare, and requires re-amalgamation, it can easily be removed from the Battery, and the operation performed as advised for the zinc plates of continuous current Batteries; it is found that a little bisulphate of mercury mixed with the acid in the cell, aids greatly in preserving the amalgamation of the zinc. Both it and the acid must be renewed when the action of the Battery becomes too feeble, and the sand inside the carbon should be moistened with a solution of chromic acid (ten or twelve drops) every second time of charging.

Stöhrer's double-cell induction machine (Fig. 14) is furnished, as its name implies, with two cells exactly similar to that described belonging to the single-cell machine, and drawn Fig. 13; they are so arranged that one cell can be used separately, the two connected as two cells, or as one cell of double surface. The arrangement is as under:—

1. To use one cell only: Insert only one of the long connecting brasses.
2. To use the two cells as two: Connect with the short brass connectors the carbon of one with the zinc of the other element.
3. To use the two cells as one of double surface: By means of the long brasses connect the carbon

of one cell with the carbon of the other, and the zinc with the zinc.

FIG. 14.



Before affixing any of these connexions, tightly screw down the screws which hold the copper wires proceeding from the elements. The cells can be raised and lowered and fixed at any elevation, in the same manner as in the single-cell machine.

The arrangements for modifying the power of the current are the same in this Battery as in the former one, except that the primary coil is provided with a brass tube or damper sliding around it, and moved


upwards or downwards by a brass handle visible at the side of the soft iron core; when this is quite drawn up, the current is greatly reduced, and, by inserting the copper arch in the two secondary clamps, and drawing up the wooden handle, may be brought to so small a minimum that it can be employed without pain or inconvenience to the head, face, or other sensitive part.

The great improvement in this Battery over the smaller one is the more delicate adjustment of the vibrating-hammer. In this instrument the platinum-pointed screw is situated in the hammer, whilst the disc against which it impinges is moveably fixed to a spiral spring, the action of which is regulated by a screw from behind. In order to obtain very slow vibrations of the hammer, very little play must be allowed to the spring on which is the platinum-plate, and greater tension made on the spiral spring; to obtain rapid action, the screw must be turned against the platinum-plate so as to fix it, and no tension made on the spiral spring. In both forms of apparatus the plate against which the platinum-ended screw rests is capable of being turned round so as to expose a fresh point of contact when the old one has become oxidized by protracted exposure to the electric spark, or the oxide formed may be carefully removed with fine emery-paper.

Messrs. Weiss and Son's Faradic apparatus (Fig. 15) is very similar in construction to Stöhrer's single-cell machine; the Battery, however, is placed at the back

instead of at the side of the coils, and the motion of the hammer is vertical instead of horizontal. The

FIG. 15.



Battery consists of one pair of zinc and carbon elements contained in a glass cell of convenient shape, which is capable of being raised or lowered and fixed

at any height by a vertical rod with hooked top and binding-screw, the elements being meanwhile held suspended from the case by an iron cramp. Connection is made between the Battery and the coils by two short insulated wires. A screw is placed above the contact-breaker or hammer to control the rapidity of its action, and a commutator is added in the form of a knob attached to a short lever, by turning which to the right or left on to two studs, marked respectively PRI (primary) and SEC (secondary) the primary current can be exchanged for the secondary or *vice versâ* while the Battery is in action, and without changing the position of the cords. The internal arrangements of the coils and regulators are similar to those of Stöhrer's double-cell apparatus, a wooden rod governing the secondary, and a brass one the primary current. The Battery is excited by a solution of bichromate of potash mixed with a little sulphuric acid, and the following very concise directions for use are copied from the pamphlet issued by the makers:—

Prepare a solution of bichromate of potash by dissolving $1\frac{3}{4}$ oz. of the salt in $16\frac{1}{2}$ oz. fluid measures of boiling water; when dissolved, add 1 oz. fluid measure of pure concentrated sulphuric acid; when cold, fill the Battery (Fig. 15) (having previously unscrewed the cap) with the solution as high as indicated in the woodcut. Replace the Battery in the case, and draw up the tray containing it by the handle J, and fix it with the screw-nut L on the outside of the case. Fix one of the connectors in the

terminal *M* of the Battery cover, and the terminal *A* of the coil; the other conductor is attached to the stem *N*, which carries the element, and terminal *B* of the coil. Attach the long conductors and sponge-holders to terminals *C* and *D*. When it is desired to employ the primary current only, turn the commutator *H* on to the brass stud next to *PR* (primary) and draw up the rod *E*; the current being weakest when the rod, which is graduated from 1 to 9, is entirely drawn up.


For the secondary current, turn the commutator *H* on to the brass stud next to *SEC*, keep down rod *E* and draw up rod *F* more or less; this rod is also graduated from 1 to 9, and the current is weakest when it is nearly down. The beat of the contact-breaker *G*, which should be very regular and quick, is regulated by the screw on the top.

After some considerable wear the small platinum disc on the spring and the platinum point of the end of the screw of the contact-breaker may become oxidized and cause the action of the Battery to cease; the oxide must then be removed with fine emery-cloth. To prevent this as much as possible, it is best, when the fluid is fresh, only to draw it up sufficiently to keep the Battery going.

To extract the zinc element for amalgamation, remove the Battery cover, unscrew the top of the stem *N*, and draw the zinc plate down; the actual process of amalgamation has been already described, and after it has been performed the parts should be replaced as before.

Messrs. Mayer and Meltzer have, at the suggestion, we believe, of Dr. Morell Mackenzie, constructed a very portable and handy induction machine, contained in a small neat box (Fig. 16). This Battery, which

FIG. 16.



is charged with the same solution as the one last described, is put into or out of action by raising or depressing a stem at the back of the box which is connected with the zinc plate of a Bunsen's pair so as to elevate it above the fluid, the carbon only remaining immersed, or to lower it into it and set up galvanic action. The arrangement of the coils and

contact-breaker is the same as in Weiss's Battery, as also the commutator for changing the currents, but the selector or graduator is on a different principle: the variations of power are here controlled by a small lever moving over a number of brass studs, placed as a segment of a circle, and in contact with the coil at different points in its length. In the earlier machines of this pattern, from one of which the above drawing was taken, there was a separate pair of studs for each current, and the top of the piston-rod was made to pass, when raised, through an opening in the lid, behind which were placed the electrodes and accessories; the later models, however, are much improved by being furnished with a commutator, and the piston is jointed and folds over when raised, the rheophores, &c. being placed at the side. The mode of charging the Battery is as follows:—


Unscrew the nuts at the end of the bars at the side of the piston, and turn the bars from under them; take out the back part of the Battery and turn the lid round until it comes off; fill the bottle about half full of the mixture of bichromate of potash and sulphuric acid, replace the cover and the Battery; turn back the brass arms, and screw the nuts tightly down upon them as before; insert the connecting wires in the clamps and push down the piston, when the Battery will at once act. The method of using the commutator has been explained, and the power of either current is increased by turning the long lever from right to left; the piston should be drawn

up when the Battery is no longer required in action. When the action of the Battery becomes feeble throw away the old fluid, rinse the bottle, and pour in a fresh charge.

The manner of using the commutator and graduator as described above, applies exactly to the induction portion of Mayer and Meltzer's large compound Battery mentioned in the previous Part, where also instructions were given for placing the Battery in connexion with the coils.

Dr. Hearder, of Plymouth, has brought forward a small Faradic machine (Fig. 17) which has the merit

FIG. 17.




of being portable and cheap. The Battery consists of one pair of zinc and silver elements, excited by dilute sulphuric acid in the proportion of one in eight; a bottle inside the case holds the exact quantity of acid required for one charge. The Battery is connected with the coils by means of hooks, and there are two

graduating levers, working over studs, the right-hand one of which increases the power four times more than the other for each additional stud ; there are, however, no arrangements for the discrimination of the primary and secondary currents, the whole power being drawn from the secondary wire at different points of its length.

Two very ingeniously constructed instruments, a larger and a smaller, have been devised by M. Duchenne, of Boulogne. These Batteries are very

FIG. 18.




highly thought of by some medical men, notably by Dr. Tibbits, who considers the large model as the very best form of apparatus known for Faradization ; probably it may be so in his hands, or in those of

physicians who make a speciality of medical therapeutics, and devote much time and study to the subject, thereby acquiring sufficient experience to render the practical manipulations and adjustments facile; they are, however, very delicate, and, the larger one especially, very complicated in their construction, and we doubt whether the ordinary practitioner would not find them rather unmanageable, and prefer to adopt a Battery of a simpler kind.

M. Duchenne's large Batteries have been constructed on various models, but the drawing given on p. 47 (Fig. 18) represents the most recent and perfect pattern.

The Battery, which is contained in the drawers $U'U$ in the base of the apparatus, is composed of three pairs of carbon and amalgamated zinc elements, the form and arrangement of which will be best understood by a reference to Fig. 19. The upper drawer contains two

FIG. 19.



compartments, with a single element in each; the lower drawer one element only, the connexions between them being made at $G E N L$. The carbon plates $c c$ are immovably fixed at the bottom of the cells, and the exciting substance, bisulphate of mercury, is

laid upon them and covered with pieces of moistened cloth; on these rest the zinc plates, square in shape, and fitting nicely their respective receptacles.

The coils are contained in the brass cylinder, P A, and are of the usual description, viz., a longer and thinner helix of insulated copper wire, superimposed upon a shorter and thicker coil of the same metal, and both surrounding a core of soft iron. The draw-tube or damper slides over the coils, enclosing them to a greater or less extent, and adjusting the strength of the current; its upper surface is graduated. A water moderator is also attached, which is a glass tube filled with distilled water, through which the current is made to pass, and which possesses facilities for altering by a slide the thickness, and consequent resistance, of the stratum of water lying between its two metal terminals.

The contact-breaker consists of a piece of soft iron, A, with platinized disc pressing against a platinum pointed screw, s, and vibrating in the usual way between it and the soft iron core. A commutator of the coils (not seen in the engraving) is attached to the end of the Battery, and, in some instances, a commutator of the poles also, for reversing the course, as well as altering the character, of the current. A pedal rheotome, r, is connected by insulated wires with the buttons, L L, and by its means very slow intermissions may be obtained; it is worked, as its name implies, by the foot, the pressure of which on the central knob completes the circuit, which is again

interrupted by the removal of the foot, and consequent release of the spring.


To charge the Battery, the drawers (Fig. 19) containing the elements must be removed from the case, and the zinc plates and cloth diaphragms taken out; the carbons, which will then become visible, must be thoroughly saturated with water, and then carefully and smoothly covered with a layer of bisulphate of mercury about one-tenth of an inch in thickness; the pieces of cloth are thoroughly wetted and laid on this powder, and finally the zinc plates on the cloth; the drawers are then replaced and secured by turning a handle between them, when the circuit is completed, and the Battery should act. The power of the current is graduated by drawing out the brass tube covering the coils, and the rod of the water moderator; and the rapidity of the intermission by the tension of the platinized screw on the vibrating hammer or by the rheotome. When the Battery is not in use the zinc plates should be taken out of the drawers and placed in a dry cupboard; the cloths will require damping daily, and the bisulphate must be renewed every three or four days.

We have not minutely described the connexions of the three cells *inter se*, and with the coils, as it would be difficult to make such an account intelligible without occupying too much space, and enough has already been said to enable the practitioner to work the instrument.

M. Duchenne's small Battery is contained in a flat

oblong rosewood case, and is set in action by a single cell of similar construction to those employed in the larger Battery just described, and which fits into a cavity closed by a door, shown to the left of the case in the engraving; above it is a vacant space for the

FIG. 20.



conducting wires and rheophores, and connexion is made between it and the coils by closing the door which opens to receive the elements, and screwing down a nut in the centre of the vacant space referred to. A spring with ivory thumb-piece is placed in the same receptacle, and serves as a rheotome; by pressing this the current is interrupted, and the frequency of the intermissions can be governed at will.

The induction part of the machine consists, as usual, of two insulated copper wire helices, superimposed upon a soft iron core, and connected with a

contact-breaker ; the iron core, however, is in the form of a wide band, wound spirally into a helix, so as to expose a greater surface to the magnetizing influence of the electric current ; this core is capable of being covered more or less by a metal draw-tube, so as to modify the strength of the currents.

The vibrating hammer is a long lever pressed by a light spring, and having on its right-hand side a screw which passes through it tipped with platinum, and impinging against a platinized eccentric in connexion with the primary coil. By turning this eccentric, the amount of play allowed to the vibrating hammer, and consequently the frequency of the intermissions, can be modified. The hammer is attracted by the magnetization of a vertical iron bar in contact with the soft iron core in the centre of the coils. The electrodes are attached to the clamps at the four corners of the inductive part of the case, those at the right being the terminals of the primary, and those at the left of the secondary coil.

To charge the Battery, unscrew the nut in the centre of the left-hand partition, open the door at the end of the case, and take out the cell ; lift off the zinc plate and cloth diaphragm, and carefully spread upon the carbon, which will then be uncovered, after having thoroughly saturated it with water, a layer of bisulphate of mercury one-tenth of an inch thick, and replace the wet cloth and the zinc plate as before, screwing down the central nut so as to be in contact with, but without pressing, the zinc. On

closing the door and properly adjusting the trembler, the latter should immediately begin to vibrate with a velocity proportioned to the pressure upon it of the platinized eccentric; when the rheotome is used, the hammer should be pressed quite close against the magnetized iron bar.

Dr. Tibbits refers to this Battery in the following terms:—"The power of this small instrument is very considerable, regard being had to the small size of its coil. This is not only due to the excellent proportions of length and diameter of its wires and to good manufacture, but also, and chiefly, to the powerful magnetization of its band of soft iron rolled into a helix, which thus offers a considerable extent of surface."

We must qualify these laudatory remarks by saying that this Battery, like the larger one by the same inventor, is somewhat delicate in construction, and liable to get out of order; it is therefore better fitted to serve as an additional and accessory instrument, than as the only one.


A very portable and neat little Battery (Fig. 21) is made by M. Gaiffe, of Paris. It fits into a case not larger than a small octavo volume, and may be described as under.

The coils, battery, and accessories, are contained in a rectangular box, A B C D, which is divided into two parts by the raised partition, E F. The first compartment contains the two chloride of silver cells of the Battery, placed between the sides of the box, and

held there by two springs, which also serve as the connectors between the Battery and the coils.

The second compartment contains the coil, *M*, which is a small edition of the usual induction coil; the

FIG. 21.



button, *R*, is the extremity of a brass draw-tube, covering the soft iron core within the coil, and acting as a regulator for increasing or diminishing the intensity of the current.

The lever, *P*, regulates by its position the vibrating hammer, either approximating it close to the magne-

tized core, or withdrawing it beyond the range of its influence; between these two extremes any degree of tension of the spring of the trembler may be obtained, so as to govern the rapidity of the intermissions. At the vertical position, *p*, the hammer will vibrate, and in the horizontal position, *p*, the communication is broken and the Battery is at rest; it is in this position that the lever should be left after use. The case is so arranged that it cannot be closed while the lever is at any angle but the correct one for repose. By pressing with the finger on the ivory head of the lever it will be brought into contact with the button, *o*, and serving as a rheotome will enable shocks to be given at intervals regulated by the will of the operator.

On the upper surface of the partition, *E F*, are the extremities of the wires of the coil, Nos. 1, 2, and 3. Nos. 1 and 2 give the primary current; Nos. 2 and 3 the secondary current; and Nos. 1 and 3 the combined current. The free ends of the conducting wires are inserted into either pair of these holes as occasion may require, the further extremities carrying the rheophores, and the lever is turned upwards until the necessary rapidity of intermissions is acquired.

Each cell is composed of a strip of zinc, and a strip of fused chloride of silver, contained in a vulcanite tube hermetically closed by a screw-top; the hooks of silver upon which the strips are fastened convey the current outside the vulcanite tube. A pad composed of six or eight strips of blotting-paper

placed between the zinc and the chloride of silver retains the exciting fluid, which consists of water impregnated with five or six per cent. of chloride of sodium, or common salt; a rubber band binds the whole together.

To re-charge the Battery, unscrew the tops of the cells, take away the band and the pads, unhook the zinc and silver bars, and replace them, as well as the pads, by others, which can be obtained ready prepared from the vendors of the instrument; dip the strips in the exciting fluid to damp the paper, and screw the tops on again tightly. The newly-charged Battery only yields a feeble current, so that the circuit should be closed for about ten minutes previous to use, the lever standing at the position, *p*, when the current will be vigorously developed. The Battery, thus charged, should work continuously for eight hours.

This instrument is exceedingly portable, and would be very useful, were it not for the necessity it entails of constantly procuring fresh charges from the maker when the old ones are exhausted.

With M. Gaiffe's Battery closes the series of induction machines; some few others might have been mentioned, but they are chiefly of minor importance, and hardly suitable for medical use; we have therefore thought it better not to encumber the physician's choice with any but approved and really useful apparatus.

PART III.

ACCESSORIES OF THE BATTERY.


WE now come to the accessories of the Battery, or the means whereby the electric current, produced and regulated as previously described, may be conveniently applied to the diseased part. They are comparatively few and simple, and consist of conducting wires, and rheophores of different shapes.

The conductors must be of copper wire or thread, about four feet long, and carefully insulated; they are usually made of several strands of copper thread, electro-plated, and covered with worsted, but occasionally of copper wire, coated with gutta-percha, after the manner of underground telegraph wires; these are more durable than the former, but in our opinion the advantage thus gained is far more than compensated by loss of flexibility. They are secured to the Battery and handles either by a hook or fork enclosed between the two parts of the clamp or handle, or by a wire passing through a hole in the latter, and held fast by a binding-screw.

The most common and generally useful form of rheophores are the sponge-holder and disc (Fig. 22). The sponge-holders, Λ' , are usually made with ebony handles, well rounded, on to which screw brass cups, tinned or plated inside to resist the wet, and filled


with sponges which have been moistened with saline or acidulated water ; the mode of attachment of the

FIG. 22.



conducting wires may be easily seen from the drawing. The brass cups should be short, so as to enable the

FIG. 23.




operator to hold both conveniently with one hand, *without touching*, whilst electrizing any particular muscle, and at the same time to have the other free, to be em-

ployed in regulating the current or otherwise; the method of doing this is shown very clearly in Fig. 23.

The disc-rheophores are discs of metal of various sizes, fitting into the same handle by means of a brass stem; they should always be covered with wash-leather, and moistened with acidulated water. Where the surface to be electrized is small, the edge may be used very conveniently. Frequently carbon is substituted for metal in these rheophores, as in all Stöhrer's Batteries; these also should be covered.

FIGS. 24, 25.




Figs. 24, 25, represent olivary and conical metallic rheophores, also covered with wash-leather, and thoroughly moistened as before.

Fig. 26 represents a brush composed of wire threads,

which expand to a greater or less circumference according to the tube which binds them together is


FIG. 26.



pushed forward or drawn back ; it is principally used for the spine.

Fig. 27 is Dr. Morell McKenzie's laryngeal rheophore, which consists of a handle carrying an insulated metallic

FIG. 27.



stem, which terminates in a small spherical piece of sponge ; a spring is attached, whereby the contact may be made or broken at the will of the operator.

Numerous other forms of rheophore are made for special purposes, as for electrizing the rectum, urethra, uterus, and ear, and the number of them daily increases. The armamentarium of the practitioner would, however, be complete for all ordinary purposes with those already described, and special cases are usually best met by special appliances, information as to which can always be readily obtained.

*** Several of these drawings are copied from Dr. Tibbits.

PART IV.

GALVANO-CAUSTIC BATTERIES AND APPARATUS.


THE earliest instruments for the application of the Galvanic Caustery come from France and Germany, and were the inventions of Grenet and Middeldorpff. The former of these Batteries we have not seen; it is worked by bellows, and, we are informed, is not very satisfactory.

Middeldorpff's Battery consists of four very large cells on Bunsen's principle; *i.e.* carbon and zinc elements excited by diluted sulphuric acid in the outer, and concentrated nitric acid in the inner or porous cell. The elements are connected by means of wires, with little cups placed on the top of a wooden rod in the centre of the case and filled with quicksilver. A number of discs of wood are provided, perforated with wires in different ways, which dip into the quicksilver contained in the small cups, and connect the cells together in any desired manner, either as four separate cells, or as one cell of four times the dimensions. One, two, or three cells can also be isolated and used in the same manner, and the whole are contained in a large square box. A case accompanies the Battery, containing a multitude of instruments adapted to the various purposes of severing, piercing, or searing; each being provided with an interrupter for arresting the

current until everything is in readiness for its instant employment.

We have had some considerable experience with this Battery, and have found it very troublesome in mounting and charging, and somewhat uncertain in its action ; the acid, too, is apt to enter into ebullition, and the fumes given off are very disagreeable. Moreover, it is very expensive.

FIG. 28.



A far more convenient Battery, manufactured by Messrs. Mayer and Meltzer, is shown above (Fig. 28). It consists of four zinc carbon pairs, with porous

cells, charged with diluted sulphuric and strong nitric acids enclosed in a portable case, measuring fourteen inches long, nine inches wide, and seven deep, which contains also two bottles holding the acids required for charging; the conducting wires are fastened on the outside of the case, and there is a lever, by moving which on to either of four studs on the case, the number of cells in action can be regulated.

In all these Batteries, however, a very great evil lies in the use of concentrated acids, which necessitate the production of strong fumes, generally of nitrous acid. This has been obviated in a new Battery brought out lately by Messrs. Mayer and Meltzer, which is very highly spoken of. It consists of three large vulcanite cells, into each of which dip ten pairs of large carbon and zinc plates connected with a bar, by means of which they can be lifted out of the fluid when not in use; the metal bars are connected, *inter se*, by insulated wires, which admit of as many cells as are needed being used independently. The cells are charged with a mixture composed of two ozs. of bichromate of potash dissolved in a pint of hot water, to which must be added, when cold, two ozs. of strong sulphuric acid. The mode of using the Battery is as follows:—

To use one cell: insert the hooks of the conducting cords in the first and second buttons from the left, the short cords being loose and unconnected; tightly screw down the buttons, and push down the first row of elements, when one cell will be in action.

To use two cells: insert the conducting wires at the first and third buttons; attach the short connector to the second button, and push down another row of elements.

To use all three cells: connect both the short cords to the buttons on the left of them; fix the conducting wires to the first and last buttons, and push down the third cell, when the entire Battery will be in action. It will be seen that in this apparatus all noxious fumes are avoided.

The conducting wires for the electric cautery should be of stout insulated copper wire, and not less than eight feet long, to admit of reaching any part of the patient's bed without bringing the Battery inconveniently near; the instruments used with them are the galvanic ecraseur, and porcelain and platinum cauteries of different shapes and sizes.

The galvanic ecraseur is shown at the side of the Battery (Fig. 28), and consists of a handle to which are attached the canulæ which guide the platinum wire, a screw with large milled head, having a traversing bar to which the free ends of the wire are attached, and a screw contact-breaker. The conducting wires having been inserted in the metal sockets of the wooden handle, and the platinum loop adjusted over the tongue or other part to be removed, contact is made by turning the little screw to the right until it impinges upon a small stud beneath it, and the screw of the ecraseur very gently turned as the operation proceeds; it is always better to determine beforehand by heating the wire how many cells are

needed, remembering that the longer the loop is, the greater must the power be, and that too much heat is liable to produce bleeding, while too little would render the instrument powerless.

FIG. 29.




FIG. 30.





FIG. 31.



The other instruments in common use are porcelain cones of different sizes (Figs. 29, 30) surrounded with platinum wire wound round them spirally, but without touching each other, so as to compel the current to seek a passage through the porcelain, and loops and wires of platinum, variously shaped, suitable for cauterizing tumours or operating within the bladder or other cavity. These are all provided with wooden handles, the wires leading to the points being carefully insulated from each other, and furnished with a sliding current-breaker, by pressing which forward or backward, contact is either made or broken. Care must be taken with all these instruments not to perform the operation too rapidly, or the moist surfaces will frequently absorb the heat as rapidly as it is developed, and great disappointment result.

The above being the last subject proposed at the outset to be dealt with, we venture, with confidence, to lay the result of our endeavours before the profession.

APPENDIX.

PRICES OF BATTERIES.

(Subject to fluctuations of the Market.)

	£	s.	d.
Becker-Muirhead Battery, 100 Cells	25	0	0
Stöhrer's Constant Current Battery, 12 Cells	5	5	0
Ditto ditto 30 Cells	8	8	0
Ditto (for Hospital use) 40 Cells	10	10	0
Ditto Portable Constant Current Battery, 20 Cells	8	8	0
Ditto ditto 30 Cells	11	11	0
Foveaux's (Weiss's) Constant Current Battery, 20 Cells	6	0	0
Ditto ditto 25 Cells	7	5	0
Ditto ditto 30 Cells	8	10	0
Ditto ditto 50 Cells	12	12	0
Mayer and Meltzer's Constant Current Battery, 20 Cells	8	8	0
Ditto ditto Combined Battery	12	12	0
Stöhrer's Single-cell Induction Battery	4	10	0
Ditto Double-cell „ „	6	10	0
Foveaux's (Weiss's) „ „	4	14	6
Mackenzie's „ „	4	4	0
Hearder's „ „ 63/- 75/- and 90/-			
Duchenne's Large „ „	12	12	0
Ditto (Small Size) „ „	5	5	0
Gaiffe's „ „	2	12	6
Galvano-Caustic Battery and Écraseur	10	10	0

LONDON:
SAVILL, EDWARDS AND CO., PRINTERS, CHANDOS STREET,
COVENT GARDEN.

A M A N U A L
ON THE
MECHANICAL TREATMENT OF DEFORMITIES
AND
DEBILITIES OF THE LOWER EXTREMITIES.

Illustrated by Coloured Drawings, Woodcuts, and Litho-Photographs of
the most approved mechanism employed.

DEDICATED BY PERMISSION TO DR. LITTLE,
Founder of the Royal Orthopædic Hospital,

By T. P. SALT, F.R.S.L.,
Anatomical Mechanician to H. R. H. the PRINCE OF WALES.

7s. 6d.

“General Knollys has laid Mr. Salt’s book before H. R. H. the Prince of Wales, and is desired to convey to Mr. Salt the Prince’s thanks and appreciation of so valuable a contribution to science.”

“It is the work of an accomplished anatomical and orthopædic mechanician. Straightforward, honest books of this kind, are very useful to the medical practitioner.”—*Prov. Medical Journal*.

“The book is well worth perusal.”—*Medical Times*.

“This is the work of an accomplished mechanician, which supplies a great deal of useful information on the mechanical treatment of deformities.”—*British Medical Journal*.

“Mr. Salt’s manual is a very good one.”—*The Lancet*.

Also by the same Author.

A PRACTICAL TREATISE
ON THE VARIOUS
MECHANICAL CONTRIVANCES EMPLOYED
FOR THE RELIEF OF HERNIA.

3s.

OPINIONS OF THE PRESS.

“Mr. Salt’s book seems well calculated, in its way, for the removal of error and the diffusion of useful information in regard to the preservation of health, so far as the immediate subject is concerned.”—*British Medical Journal*.


“The book is well illustrated, well penned, and well got up, and as a descriptive work on a class of instruments which are not sufficiently known, it will be a useful addition to the library of a medical man.”—*Dublin Medical Press*.

“Mr. Salt describes very fairly his own truss, and some other instruments, belts, uterine supports, &c., and he evidently thoroughly understands his subject.”—*Medical Times and Gazette*.

“In matter, style, printing, and paper the work is worthy of a place in any library.”—*Birmingham Journal*.

FIFTH EDITION.

Prize Medal,
Dublin Exhibition,
1865.



Honourable Mention,
Paris Exhibition,
1867.

Grand Medal, Vienna, 1873.

SALT & SON'S
NEW
ILLUSTRATED CATALOGUE
OF
SURGICAL INSTRUMENTS,
ARTIFICIAL LIMBS,
TRUSSES, ABDOMINAL AND UMBILICAL BELTS,
Apparatus for all kinds of Bodily Deformity,
RESPIRATORS,
IMPROVED MEDICAL SYRINGES, LINT,
AND CUTLERY.

SALT & SON,
Patentees,

BY APPOINTMENT, CUTLERS TO HER MAJESTY THE QUEEN.
ANATOMICAL MECHANICIANS TO H.R.H. THE PRINCE OF WALES.
AUTHORS OF TREATISES ON DEFORMITY AND RUPTURE.
SURGICAL INSTRUMENT MAKERS TO THE HOSPITALS.

21, BULL STREET, BIRMINGHAM.

EXHIBITIONS.

London, 1851.

“Mr. Salt’s collection shows that some of our Provincial Instrument Manufacturers are treading somewhat severely upon the heels of the London Manufacturers.”—*Medical Times*.

“If we regard goodness of workmanship and variety of appliance, Mr. Salt will not be greatly distanced.”—*Daily News*.

“What Mr. Salt exhibits is exquisite of its kind.”—*Birmingham Journal*.

Paris, 1855.

“Mr. Salt’s display of Surgical Instruments is very superior.”—*Birmingham Herald*.

Dublin, 1865.

“Mr. Salt of Birmingham has a splendid collection of Trusses, which display admirable workmanship.”—*Irish Times*.

Paris, 1867.

“In regard not only to improved principles of construction, but thorough excellence, the articles of Messrs. Salt and Son merit the highest commendation.”—*Midland Counties Herald*.

“Mr. Salt’s inventions must almost be looked upon as a service rendered to the State.”—*Birmingham Journal*.

Prize Medal,
Dublin,
1865.

Grand Medal,
Vienna,
1873.

Hon. Mention,
Paris,
1865.

EXTRACT FROM THE REPORT
UPON THE
Surgical Instruments Exhibited at the Annual Meeting
OF THE
MEDICAL ASSOCIATION, AT NORWICH, AUGUST, 1874.

Reprinted from *British Medical Journal*.

“The number of articles exhibited in Class 1, Medical and Surgical Instruments and Appliances, was 384. First to be seen on entering the museum, and certainly not second in point of extent, of variety, and of originality, was the show of Messrs. Salt and Son, of Birmingham. It would seem strange that they alone appear to have thought of employing aluminium to any extent, a metal valuable for its physical and chemical qualities, and for its beauty. Here are aluminium catheters, stethoscopes, thermometer cases, etc. Messrs. Salt exhibited a vaccinator, called the ‘mitrailleuse’—a name not calculated to allay the terrors of anxious mothers. It is, like most of its rivals, an ingenious instrument, and may be strongly commended to those luxurious practitioners who always employ gilt catheters and patent bandages. There was a thermometer arranged on the principle of an ordinary pencil-case, handy and safe; and a compact, handsome, and strong ‘telescopic stethoscope,’ of aluminium and ivory, which shuts up for the pocket. Messrs. Salt’s case of subcutaneous syringes, for hospital use, had good features. Each instrument had a flange to render the employment of two hands unnecessary. The aspirators throughout the museum, especially those of Salt and Coxeter, showed some marked improvements, which will just satisfy certain wants of every one accustomed to use the instrument. The rack-and pinion movement and weighted cases of Messrs. Salt, leave the operator one hand free; the cylinder, partly glass and partly metal, of Messrs. Coxeter, allows a more perfect fit to the piston, and leaves the contents of the cylinder still visible. The three taps of Salt and of Maw are also deserving of notice. Salt’s sphygmographs permit the pressure to be regulated with ease and precision.”

The aluminium goods above referred to were noticed at great length in the *Lancet*, July 25th, 1874, p. 130:—

“We have lately had some articles submitted to our inspection which are the outcome of a series of experiments with aluminium bronze as a suitable metal for the construction of surgical instruments, in which Messrs. Salt and Son, the well-known instrument manufacturers of Birmingham, have been engaged, and the result of which we consider has been very satisfactory.”

The following amongst others may be named:—Male and Female Catheters, Pencil Case Thermometers, Vaccinators, Sliding Stethoscope, Caustiques, and Various kinds of Dressing and Artery Forceps. The Instruments above described may be obtained from

SALT & SON,
THE ORIGINAL INTRODUCERS AND MANUFACTURERS,
21, BULL STREET, BIRMINGHAM,

ANATOMICAL MECHANICIANS TO H.R.H. THE PRINCE OF WALES.

Prize Medal,
Dublin,
1865.

Grand Medal,
Vienna.
1873.

Hon. Mention,
Paris,
1867.



*London, New Burlington Street,
December, 1874.*

SELECTION

FROM

MESSRS J. & A. CHURCHILL'S

General Catalogue

COMPRISING

ALL RECENT WORKS PUBLISHED BY THEM

ON THE

ART AND SCIENCE

OF

M E D I C I N E

INDEX

	PAGE		PAGE
Acton on the Reproductive Organs	8	Coles' Dental Mechanics	23
— on Prostitution	8	Cooper's Surgical Dictionary	5
Adams on Clubfoot	6	Cotton on Phthisis and the Stethoscope	14
— on Rheumatic Gout	18	Coulson's Treatise on Syphilis	8
Allen on Aural Catarrh	5	— on Stone in the Bladder	8
Allingham on Diseases of Rectum	6	Dalby on the Ear	5
Anatomical Remembrancer	11	Dale's Practical Medicine	11
Anderson (McC.) on Eczema	19	Day on Children's Diseases	12
— (McC.) on Parasitic Affec-	19	De Morgan on the Origin of Cancer	18
— (A. F.) Photographs of Le-	19	De Valcourt on Cannes	15
Arnot on Cancer	18	Dillnberger's Diseases of Women and	12
Aveling's English Midwives	13	Children	12
B Barclay's Medical Diagnosis	10	Dobell's Lectures on Winter Cough	14
Barker's Puerperal Diseases	12	— first stage of Consumption	14
Barnes' Obstetric Operations	13	Domville's Manual for Hospital Nurses	14
— Diseases of Women	13	Druitt's Surgeon's Vade-Mecum	4
Basham on Renal Diseases	7	Dunglison's Dictionary of Medical	22
— on Diseases of the Kidneys	7	Science	22
Beale on Kidney Diseases	7	Elam on Cerebria	20
— on Disease Germs	23	Ellis's Manual of Diseases of Children	12
Bellamy's Guide to Surgical Anatomy	11	Fayrer's Observations in India	4
Bennet's Winter and Spring on the	16	Fergusson's Practical Surgery	4
Shores of the Mediter-	16	Fenwick's Guide to Medical Diagnosis	10
— on the Treatment of Pulmo-	16	— on the Stomach, &c.	17
nary Consumption	16	Flower's Nerves of the Human Body	10
Bennett on Cancerous and other Intra-	18	Foster's Clinical Medicine	11
thoracic Growths	18	Frey's Histology and Histo-Chem-	9
Birch on Constipated Bowels	17	istry of Man	9
— on Oxygen	19	Gamgee on Fractures of the Limbs	5
Black on the Urinary Organs	8	Gant on the Science and Practice of	4
Brodhurst on Deformities	6	Surgery	4
Browne's Medical Jurisprudence of	20	— on the Irritable Bladder	7
Insanity	20	Garrett on Irritative Dyspepsia	15
Bryant's Practice of Surgery	4	Glenn on the Laws affecting Medical	20
Buchanan's Circulation of the Blood	9	Men	20
Bucknill and Tuke's Psychological	21	Habershon on Diseases of the Liver	16
Medicine	21	Hamilton on Syphilitic Osteitis and	9
Buzzard on Syphilitic Nervous Affec-	8	Periostitis	9
tions	8	Hancock's Surgery of Foot and Ankle	6
Carpenter's Human Physiology	9	Harley on the Urine	8
Carter on Structure of Calculi	7	Headland on the Action of Medicines	11
— on Mycetoma	18	Heath's Minor Surgery and Bandaging	5
Cauty on Diseases of the Skin	19	— Diseases and Injuries of the	5
Chambers on the Indigestions	17	Jaws	5
Chapman on Neuralgia	17	— Practical Anatomy	10
Chavasse's Advice to a Mother	12	Hill on Stricture of the Urethra	7
— Counsel to a Mother	12	Holden's Human Osteology	9
— Advice to a Wife	12	— Dissections	9
Clark's Outlines of Surgery	4	Holt on Stricture of the Urethra	7
— Surgical Diagnosis	5	Holthouse on Hernial and other	6
Clarke's Autobiographical Recollec-	22	Tumours	6
tions	22	Hood on Gout, Rheumatism, &c.	18
Clay's Obstetric Surgery	13	Hooper's Physician's Vade-Mecum	11
Cobbold on Worms	19	Horton's Diseases of Tropical Cli-	16
		mates	16
		Jones (C. H.) and Sieveking's Patho-	10
		logical Anatomy	10

	PAGE		PAGE
Jones (C. H.) on Functional Nervous Disorders	17	Sibson's Medical Anatomy	10
— (Wharton) Ophthalmic Medicine and Surgery	22	Sieveling's Medical Adviser in Life Assurance	20
Jordan on Treatment of Surgical Inflammations	6	Smith (H.) on the Surgery of the Rectum	6
— Surgical Inquiries	6	— (E.) on Wasting Diseases of Children	12
Kennion's Springs of Harrogate	15	Smith's Dental Anatomy	23
Lee (H.) Practical Pathology	8	Spender on Ulcers of Lower Limbs	19
Leared on Imperfect Digestion	17	Squire's Temperature Observations	18
Liebreich's Atlas of Ophthalmoscopy	21	Steiner's Diseases of Children	12
Living on Megrim, &c.	17	Stowe's Toxicological Chart	20
MaeCormac's Notes and Recollections of an Ambulance Surgeon	6	Swain on the Knee-Joint	6
Maekenzie on Growths in the Larynx	15	— Surgical Emergencies	4
— on Hoarseness	15	Swayne's Obstetric Aphorisms	13
— Throat Hospital Pharmacopœia	15	Taylor's Principles of Medical Jurisprudence	20
Maenamara on Diseases of the Eye	22	— Manual of Medical Jurisprudence	20
Marsden on certain Forms of Cancer	18	Thompson on Stricture of Urethra	7
Maunder's Operative Surgery	4	— on Practical Lithotomy and Lithotripsy	7
Mayne's Medical Vocabulary	22	— on Diseases of the Urinary Organs	7
Meryon's System of Nerves	18	— on Diseases of the Prostate	7
Moore's Family Medicine for India	16	Thorowgood on Asthma	15
Morris on Irritability	17	— on Materia Medica	12
— on Germinal Matter	23	Tibbits' Medical Electricity	21
Paton on Action and Sounds of Heart	15	Tilt's Uterine Therapeutics	13
Parker on Syphilitic Diseases	9	— Change of Life	13
Parkes' Manual of Practical Hygiene	21	Tomes' Dental Surgery	23
Parkin's Epidemiology	23	Tuke on the Influence of the Mind upon the Body	21
Pavy on Diabetes	17	Van Buren on Diseases of the Genito-Urinary Organs	8
— on Digestion	17	Veitch's Handbook for Nurses	14
— on Food and Dietetics	17	Wahlteuh's Materia Medica	11
Peacock on Valvular Disease of the Heart	15	Walker on Egypt as a Health Resort	16
— on Malformations of the Heart	15	Ward on Affections of the Liver	16
Phillips' Materia Medica and Therapeutics	11	Waring's Practical Therapeutics	11
Pirrie's Surgery	4	— Bazaar Medicines of India	16
Power on Diseases of the Eye	23	Waters on Diseases of the Chest	14
Ramsbotham's Obstetric Medicine and Surgery	13	Wells (Soelberg) on Diseases of the Eye	22
Reynolds' Uses of Electricity	21	— Long, Short, and Weak Sight	22
Richardson's Practical Physic	11	— (Spencer) on Diseases of the Ovaries	14
Ross's Graft Theory of Disease	23	West on Diseases of Women	14
Royle and Headland's Manual of Materia Medica	11	Wife's Domain	14
Sabben and Browne's Handbook of Law and Lunacy	20	Wilks' Pathological Anatomy	10
Sanderson's Physiological Laboratory	9	Wilson (E.) Anatomist's Vade-Mecum	10
Sankey on Mental Diseases	20	— on Diseases of the Skin	19
Savage on the Female Pelvic Organs	5	— Lectures on Ekzema	19
Savory's Domestic Medicine	14	— Lectures on Dermatology	19
Schroeder's Manual of Midwifery	13	— (G.) Handbook of Hygiene	21
Shapter's Diseases of the Heart	14	Winslow's Obscure Diseases of the Brain and Mind	21
Shaw's Medical Remembrancer	10	Wolff on Zymotic Diseases	23
Sheppard on Madness	20		

THE PRACTICE OF SURGERY:

A Manual by THOMAS BRYANT, F.R.C.S., Surgeon to Guy's Hospital. Crown 8vo, with 507 Engravings on wood, 21s. [1872]

THE PRINCIPLES AND PRACTICE OF SURGERY

by WILLIAM PIRRIE, F.R.S.E., Professor of Surgery in the University of Aberdeen. Third Edition, 8vo, with 490 Engravings, 28s. [1873]

A SYSTEM OF PRACTICAL SURGERY

by Sir WILLIAM FERGUSSON, Bart., F.R.C.S., F.R.S., Serjeant-Surgeon to the Queen. Fifth Edition, 8vo, with 463 Illustrations on Wood, 21s. [1870]

OPERATIVE SURGERY

by C. F. MAUNDER, F.R.C.S., Surgeon to the London Hospital, formerly Demonstrator of Anatomy at Guy's Hospital. Second Edition, post 8vo, with 164 Wood Engravings, 6s. [1872]

THE SURGEON'S VADE-MECUM

by ROBERT DRUITT. Tenth Edition, fcap. 8vo, with numerous Engravings on Wood, 12s. 6d. [1870.]

THE SCIENCE AND PRACTICE OF SURGERY:

a complete System and Textbook by F. J. GANT, F.R.C.S., Surgeon to the Royal Free Hospital. 8vo, with 470 Engravings, 24s. [1871]

OUTLINES OF SURGERY

and Surgical Pathology, including the Diagnosis and Treatment of Obscure and Urgent Cases, and the Surgical Anatomy of some Important Structures and Regions, by F. LE GROS CLARK, F.R.S., Consulting Surgeon to St. Thomas's Hospital. Second Edition, Revised and Expanded by the Author, assisted by W. W. WAGSTAFFE, F.R.C.S., Assistant-Surgeon to, and Joint-Lecturer on Anatomy at, St. Thomas's Hospital. 8vo, 10s. 6d. [1873]

CLINICAL AND PATHOLOGICAL OBSERVATIONS IN INDIA

by J. FAYRER, C.S.I., M.D., F.R.C.P. Lond., F.R.S.E., Honorary Physician to the Queen. 8vo, with Engravings on Wood, 20s. [1873]

SURGICAL EMERGENCIES

together with the Emergencies attendant on Parturition and the Treatment of Poisoning: a Manual for the use of General Practitioners by WILLIAM P. SWAIN, F.R.C.S., Surgeon to the Royal Albert Hospital, Devonport. Fcap. 8vo, 6s. [1874]

MINOR SURGERY AND BANDAGING

(A Manual of) for the Use of House-Surgeons, Dressers, and Junior Practitioners, by CHRISTOPHER HEATH, F.R.C.S., Surgeon to University College Hospital. Fourth Edition, fcap 8vo, with 74 Engravings, 5s. 6d. [1870]

BY THE SAME AUTHOR,

INJURIES AND DISEASES OF THE JAWS:

JACKSONIAN PRIZE ESSAY. Second Edition, 8vo, with 164 Engravings, 12s. [1872]

DICTIONARY OF PRACTICAL SURGERY

and Encyclopædia of Surgical Science, by SAMUEL COOPER. New Edition, brought down to the present Time by SAMUEL A. LANE, Consulting Surgeon to St. Mary's and to the Lock Hospitals; assisted by various Eminent Surgeons. 2 vols. 8vo, 50s. [1861 and 1872]

THE FEMALE PELVIC ORGANS

(the Surgery, Surgical Pathology, and Surgical Anatomy of), in a Series of Coloured Plates taken from Nature: with Commentaries, Notes, and Cases, by HENRY SAVAGE, M.D. Lond., F.R.C.S., Consulting Physician to the Samaritan Free Hospital. Second Edition, greatly Enlarged, 4to, £1 11s. 6d. [1870]

FRACTURES OF THE LIMBS

(On the Treatment of) by J. SAMPSON GAMGEE, Surgeon to the Queen's Hospital, Birmingham. 8vo, with Plates, 10s. 6d. [1871]

ON DISEASES AND INJURIES OF THE EAR

by W. B. DALBY, F.R.C.S., M.B., Aural Surgeon and Lecturer on Aural Surgery at St. George's Hospital. Crown 8vo, with 21 Engravings, 6s. 6d. [1873]

AURAL CATARRH;

or, the Commonest Forms of Deafness, and their Cure, by PETER ALLEN, M.D., F.R.C.S.E., late Aural Surgeon to St. Mary's Hospital. Second Edition, with Engravings, crown 8vo, 8s. 6d. [1874]

PRINCIPLES OF SURGICAL DIAGNOSIS

(Lectures on the) especially in Relation to Shock and Visceral Lesions, delivered at the Royal College of Surgeons by F. LE GROS CLARK, F.R.C.S., Consulting Surgeon to St. Thomas's Hospital. 8vo, 10s. 6d. [1870]

CLUBFOOT:

its Causes, Pathology, and Treatment; being the Jacksonian Prize Essay by WM. ADAMS, F.R.C.S., Surgeon to the Great Northern Hospital. Second Edition, 8vo, with 106 Wood Engravings and 6 Lithographic Plates, 15s. [1873]

INJURIES AND DISEASES OF THE KNEE-JOINT

and their Treatment by Amputation and Excision Contrasted: Jacksonian Prize Essay by W. P. SWAIN, F.R.C.S., Surgeon to the Royal Albert Hospital, Devonport. 8vo, with 36 Engravings, 9s. [1869]

ON DEFORMITIES OF THE HUMAN BODY:

a System of Orthopædic Surgery, by BERNARD E. BRODHURST, F.R.C.S., Surgeon to the Royal Orthopædic Hospital. 8vo, with Engravings, 10s. 6d. [1871]

OPERATIVE SURGERY OF THE FOOT AND ANKLE

(The) by HENRY HANCOCK, F.R.C.S., Consulting Surgeon to Charing Cross Hospital. 8vo, 15s. [1873]

THE TREATMENT OF SURGICAL INFLAMMATIONS

by a New Method, which greatly shortens their Duration, by FURNEAUX JORDAN, F.R.C.S., Professor of Surgery in Queen's College, Birmingham. 8vo, with Plates, 7s. 6d. [1870]

BY THE SAME AUTHOR,

SURGICAL INQUIRIES

With numerous Lithographic Plates. 8vo, 5s. [1873]

ON HERNIAL AND OTHER TUMOURS

of the Groin and its Neighbourhood, with some Practical Remarks on the Radical Cure of Ruptures by C. HOLTHOUSE, F.R.C.S., Surgeon to the Westminster Hospital. 8vo, 6s. 6d. [1870]

NOTES AND RECOLLECTIONS

of an Ambulance Surgeon, being an Account of Work done under the Red Cross during the Campaign of 1870, by WILLIAM MACCORMAC, F.R.C.S., M.R.I.A., Surgeon to St. Thomas's Hospital. 8vo, with 8 Plates, 7s. 6d. [1871]

THE SURGERY OF THE RECTUM:

Lettsomian Lectures by HENRY SMITH, F.R.C.S., Surgeon to King's College Hospital. Third Edition, fcap 8vo, 3s. 6d. [1871]

FISTULA, HÆMORRHOIDS, PAINFUL ULCER,

Stricture, Prolapsus, and other Diseases of the Rectum: their Diagnosis and Treatment. By WM. ALLINGHAM, F.R.C.S., Surgeon to St. Mark's Hospital for Fistula, &c., late Surgeon to the Great Northern Hospital. Second Edition, enlarged, 8vo, 7s. [1872]

STRICTURE OF THE URETHRA

and Urinary Fistulæ; their Pathology and Treatment: Jacksonian Prize Essay by Sir HENRY THOMPSON, F.R.C.S., Surgeon-Extraordinary to the King of the Belgians. Third Edition, 8vo, with Plates, 10s. [1869]

BY THE SAME AUTHOR,

PRACTICAL LITHOTOMY AND LITHOTRITY;

or, An Inquiry into the best Modes of removing Stone from the Bladder. Second Edition, 8vo, with numerous Engravings. 10s. [1871]

ALSO,

DISEASES OF THE URINARY ORGANS

(Clinical Lectures on). Third Edition, crown 8vo, with Engravings, 6s. [1872]

ALSO,

THE DISEASES OF THE PROSTATE:

their Pathology and Treatment. Fourth Edition, 8vo, with numerous Plates, 10s. [1873]

STRICTURE OF THE URETHRA

(On the Immediate Treatment of), by BARNARD HOLT, F.R.C.S., Consulting Surgeon to the Westminster Hospital. Third Edition, 8vo, 6s. [1868]

ORGANIC STRICTURE OF THE URETHRA

(An Analysis of 140 Cases of), by JOHN D. HILL, F.R.C.S., Surgeon to the Royal Free Hospital. 8vo, 3s. [1871]

ON KIDNEY DISEASES, URINARY DEPOSITS

and Calculous Disorders by LIONEL S. BEALE, M.B. F.R.S., F.R.C.P., Physician to King's College Hospital. Third Edition, much Enlarged, 8vo, with 70 Plates, 25s. [1868]

THE IRRITABLE BLADDER:

its Causes and Treatment, by F. J. GANT, F.R.C.S., Surgeon to the Royal Free Hospital. Third Edition, crown 8vo, with Engravings, 6s. [1872]

RENAL DISEASES:

A Clinical Guide to their Diagnosis and Treatment by W. R. BASHAM, M.D., F.R.C.P., Senior Physician to the Westminster Hospital. Post 8vo, 7s. [1870]

BY THE SAME AUTHOR,

THE DIAGNOSIS OF DISEASES OF THE KIDNEYS

(Aids to). 8vo, with 10 Plates, 5s. [1872]

MICROSCOPIC STRUCTURE OF URINARY CALCULI

(On the) by H. V. CARTER, M.D., Surgeon-Major, H.M.'s Bombay Army. 8vo, with Four Plates, 5s. [1873]

THE URINE AND ITS DERANGEMENTS

(Lectures on), with the Application of Physiological Chemistry to the Diagnosis and Treatment of Constitutional as well as Local Diseases by GEORGE HARLEY, M.D., F.R.S., F.R.C.P., formerly Professor in University College. Post 8vo, 9s. [1872]

THE REPRODUCTIVE ORGANS

in Childhood, Youth, Adult Age, and Advanced Life (The Functions and Disorders of), considered in their Physiological, Social, and Moral Relations, by WILLIAM ACTON, M.R.C.S. Fifth Edition, 8vo, 12s. [1871]

BY THE SAME AUTHOR,

PROSTITUTION:

Considered in its Moral, Social, and Sanitary Aspects. Second Edition, enlarged, 8vo, 12s. [1869]

FUNCTIONAL DISEASES

of the Renal, Urinary, and Reproductive Organs (On the), by D. CAMPBELL BLACK, M.D., L.R.C.S. Edin., Member of the General Council of the University of Glasgow. 8vo, 10s. 6d. [1872]

PRACTICAL PATHOLOGY:

containing Lectures on Suppurative Fever, Diseases of the Veins, Hæmorrhoidal Tumours, Diseases of the Rectum, Syphilis, Gonorrhæal Ophthalmia, &c., by HENRY LEE, F.R.C.S., Surgeon to St. George's Hospital. Third Edition, in 2 vols. 8vo, 10s. each vol. [1870]

GENITO-URINARY ORGANS, INCLUDING SYPHILIS

A Practical Treatise on their Surgical Diseases, designed as a Manual for Students and Practitioners, by W. H. VAN BUREN, M.D., Professor of the Principles of Surgery in Bellevue Hospital Medical College, New York, and E. L. KEYES, M.D., Professor of Dermatology in Bellevue Hospital Medical College, New York. With 140 Engravings, royal 8vo, 21s. [1874]

SYPHILITIC NERVOUS AFFECTIONS

(Clinical Aspects of) by THOMAS BUZZARD, M.D., F.R.C.P. Lond., Physician to the National Hospital for Paralysis and Epilepsy. Post 8vo, 5s. [1874]

A TREATISE ON SYPHILIS

by WALTER J. COULSON, F.R.C.S., Surgeon to the Lock Hospital 8vo, 10s. [1869]

BY THE SAME AUTHOR,

STONE IN THE BLADDER:

Its Prevention, Early Symptoms, and Treatment by Lithotrity. 8vo, 6s. [1868]

ON SYPHILITIC OSTEITIS AND PERIOSTITIS

Lectures by JOHN HAMILTON, F.R.C.S.I., Surgeon to the Richmond Hospital and to Swift's Hospital for Lunatics, Dublin. With Plates, 8vo, 6s. 6d. [1874]

SYPHILITIC DISEASES

(The Modern Treatment of), both Primary and Secondary; comprising the Treatment of Constitutional and Confirmed Syphilis, by a safe and successful Method, by LANGSTON PARKER, F.R.C.S. Fifth Edition, 8vo, 10s. 6d. [1871]

PRINCIPLES OF HUMAN PHYSIOLOGY

by W. B. CARPENTER, M.D., F.R.S. Seventh Edition by Mr. HENRY POWER. 8vo, with nearly 300 Illustrations on Steel and Wood, 28s. [1869]

PHYSIOLOGICAL LABORATORY

(Handbook for the) by E. KLEIN, M.D., formerly Privat-Docent in Histology in the University of Vienna, Assistant Professor in the Pathological Laboratory of the Brown Institution, London; J. BURDON-SANDERSON, M.D., F.R.S., Professor of Practical Physiology in University College, London; MICHAEL FOSTER, M.D., F.R.S., Fellow of, and Prælector of Physiology in, Trinity College, Cambridge; and T. LAUDER BRUNTON, M.D., D.Sc., Lecturer on Materia Medica in the Medical College of St. Bartholomew's Hospital; edited by J. BURDON-SANDERSON. 8vo, with 123 Plates, 24s. [1873]

HISTOLOGY AND HISTO-CHEMISTRY OF MAN

A Treatise on the Elements of Composition and Structure of the Human Body, by HEINRICH FREY, Professor of Medicine in Zurich. Translated from the Fourth German Edition by ARTHUR E. J. BARKER, Surgeon to the City of Dublin Hospital; Demonstrator of Anatomy, Royal College of Surgeons, Ireland. And Revised by the Author. 8vo, with 608 Wood Engravings, 21s. [1874]

THE CIRCULATION OF THE BLOOD

(The Forces which carry on the) by ANDREW BUCHANAN, M.D., Professor of Physiology in the University of Glasgow. Second Edition, 8vo, with Engravings, 5s. [1874]

HUMAN OSTEOLOGY:

with Plates, showing the Attachments of the Muscles, by LUTHER HOLDEN, F.R.C.S., Surgeon to St. Bartholomew's Hospital. Fourth Edition, 8vo, 16s. [1869]

BY THE SAME AUTHOR,

THE DISSECTION OF THE HUMAN BODY

(A Manual of). Third Edition, 8vo, with Engravings on Wood, 16s. [1868]

THE STUDENT'S GUIDE TO MEDICAL DIAGNOSIS

by SAMUEL FENWICK, M.D., F.R.C.P., Assistant Physician to the London Hospital. Third Edition, fcap 8vo, with 87 Engravings, 6s. 6d. [1873]

A MANUAL OF MEDICAL DIAGNOSIS

by A. W. BARCLAY, M.D., F.R.C.P., Physician to, and Lecturer on Medicine at, St. George's Hospital. Third Edition, fcap 8vo, 10s. 6d. [1870]

THE MEDICAL REMEMBRANCER;

or, Book of Emergencies. Fifth Edition by JONATHAN HUTCHINSON, F.R.C.S., Senior Surgeon to the London Hospital. 32mo, 2s. 6d. [1867]

MEDICAL ANATOMY

By FRANCIS SIBSON, M.D., F.R.C.P., F.R.S., Consulting Physician to St. Mary's Hospital. Imp. folio, with 21 coloured Plates, cloth, 42s.; half-morocco, 50s. [Completed in 1869]

THE ANATOMIST'S VADE-MECUM:

a System of Human Anatomy by ERASMUS WILSON, F.R.C.S., F.R.S. Ninth Edition, by Dr. G. BUCHANAN, Professor of Anatomy in Anderson's University, Glasgow. Crown 8vo, with 371 Engravings on Wood, 14s. [1873]

PRACTICAL ANATOMY:

a Manual of Dissections by CHRISTOPHER HEATH, F.R.C.S., Surgeon to University College Hospital. Third Edition, fcap 8vo, with 226 Engravings [1874]

PATHOLOGICAL ANATOMY

(Lectures on) by SAMUEL WILKS, M.D., F.R.S., Physician to, and Lecturer on Medicine at, Guy's Hospital; and WALTER MOXON, M.D., F.R.C.P., Physician to, and late Lecturer on Pathology at, Guy's Hospital. Second Edition, 8vo. [1874]

PATHOLOGICAL ANATOMY

(A Manual) by C. HANDFIELD JONES, M.B., F.R.S., Physician to St. Mary's Hospital; and EDWARD H. SIEVEKING, M.D., F.R.C.P., Physician to St. Mary's Hospital. Edited by J. F. PAYNE, M.D., F.R.C.P., Assistant Physician and Demonstrator of Morbid Anatomy at St. Thomas's Hospital. Second Edition, crown 8vo, with Engravings. [1874]

DIAGRAMS OF THE NERVES OF THE HUMAN BODY

Exhibiting their Origin, Divisions, and Connexions, with their Distribution, by WILLIAM HENRY FLOWER, F.R.S., Conservator of the Museum of the Royal College of Surgeons. Second Edition, roy. 4to 12s. [1872]

STUDENT'S GUIDE TO SURGICAL ANATOMY:

a Text-book for the Pass Examination, by E. BELLAMY, F.R.C.S., Senior Assistant-Surgeon and Teacher of Operative Surgery at Charing Cross Hospital. With 50 Engravings, fcap 8vo, 6s. 6d. [1873]

THE ANATOMICAL REMEMBRANCER;

or, Complete Pocket Anatomist. Seventh Edition, carefully Revised, 32mo, 3s. 6d. [1872]

A MANUAL OF PRACTICAL THERAPEUTICS

by E. J. WARING, M.D., F.R.C.P. Lond. Third Edition, fcap 8vo, 12s. 6d. [1871]

HOOPER'S PHYSICIAN'S VADE-MECUM;

or, Manual of the Principles and Practice of Physic, Ninth Edition by W. A. GUY, M.B., F.R.S., and JOHN HARLEY, M.D., F.R.C.P. Fcap 8vo, with Engravings, 12s. 6d. [1874]

A COMPENDIUM OF PRACTICAL MEDICINE

and Morbid Anatomy by WILLIAM DALE, M.D. Lond. 12mo, with Plates, 7s. [1868]

CLINICAL MEDICINE

Lectures and Essays by BALTHAZAR FOSTER, M.D., F.R.C.P. Lond., Professor of Medicine in Queen's College, Birmingham. 8vo, 10s. 6d. [1874]

DISCOURSES ON PRACTICAL PHYSIC

by B. W. RICHARDSON, M.D., F.R.C.P., F.R.S. 8vo, 5s. [1871]

ON THE ACTION OF MEDICINES

in the System by F. W. HEADLAND, M.D., F.R.C.P., Professor of Medicine in Charing Cross Medical College. Fourth Edition, 8vo, 14s. [1866]

A MANUAL OF MATERIA MEDICA

by J. F. ROYLE, M.D., F.R.S., and F. W. HEADLAND, M.D., F.R.C.P. Fifth Edition, fcap 8vo, with numerous Engravings on Wood, 12s. 6d. [1868]

A DICTIONARY OF MATERIA MEDICA

and Therapeutics by ADOLPHE WAHLTUCH, M.D. 8vo, 15s. [1868]

MATERIA MEDICA AND THERAPEUTICS:

Vegetable Kingdom, by CHARLES D. F. PHILLIPS, M.D., F.R.C.S.E. 8vo, 15s. [1874]

THE STUDENT'S GUIDE TO MATERIA MEDICA

by JOHN C. THOROWGOOD, M.D. Lond., Physician to the City of London Hospital for Diseases of the Chest. With Engravings, fcap 8vo, 6s. 6d. [1874]

MANUAL OF THE DISEASES OF CHILDREN

(A Practical), with a Formulary, by EDWARD ELLIS, M.D., Physician to the Victoria Hospital for Children. Second Edition, crown 8vo, 7s. [1873]

ESSAYS ON THE DISEASES OF CHILDREN

by WILLIAM HENRY DAY, M.D., Physician to the Samaritan Hospital for Diseases of Women and Children. Fcap 8vo, 5s. [1873]

ON THE WASTING DISEASES OF CHILDREN

by EUSTACE SMITH, M.D. Lond., Physician to the King of the Belgians, Physician to the East London Hospital for Children. Second Edition, post 8vo, 7s. 6d. [1870]

COMPENDIUM OF CHILDREN'S DISEASES

A Handbook for Practitioners and Students, by JOHANN STEINER, M.D., Professor of the Diseases of Children in the University of Prague. Translated from the Second German Edition by LAWSON TAIT, F.R.C.S., Surgeon to the Birmingham Hospital for Women. 8vo, 12s. 6d. [1874]

A TRANSLATION OF DR. DILLNBERGER'S

Handy-Book of the Treatment of Women's and Children's Diseases according to the Vienna Medical School, with Prescriptions, by PATRICK NICOL, M.B. Fcap 8vo, 5s. [1871]

ADVICE TO A MOTHER

on the Management of her Children by PYE H. CHAVASSE, F.R.C.S. Eleventh Edition, fcap 8vo, 2s. 6d. [1872]

BY THE SAME AUTHOR,

COUNSEL TO A MOTHER

on the Care and Rearing of her Children, being the Companion Volume of 'Advice to a Mother.' Third Edition, fcap 8vo. 2s. 6d. [1874]

ALSO,

ADVICE TO A WIFE

on the Management of her own Health. With an Introductory Chapter especially addressed to a Young Wife. Tenth Edition, fcap 8vo, 2s. 6d. [1873]

PUERPERAL DISEASES

Clinical Lectures by FORDYCE BARKER, M.D., Obstetric Physician to Bellevue Hospital, New York. 8vo, 15s. [1874]

LECTURES ON OBSTETRIC OPERATIONS,

including the Treatment of Hæmorrhage, and forming a Guide to the Management of Difficult Labour, by ROBERT BARNES, M.D., F.R.C.P., Obstetric Physician to, and Lecturer on Midwifery at, St. Thomas's Hospital. Second Edition, 8vo, with 113 Engravings, 15s. [1871]

BY THE SAME AUTHOR,

MEDICAL AND SURGICAL DISEASES OF WOMEN

(a Clinical History of the). With 169 Engravings, 8vo, 28s. [1873]

OBSTETRIC SURGERY

A Complete Handbook, giving Short Rules of Practice in every Emergency, from the Simplest to the most Formidable Operations connected with the Science of Obstetricy, by CHARLES CLAY, Ext.L.R.C.P. Lond., L.R.C.S.E., late Senior Surgeon and Lecturer on Midwifery, St. Mary's Hospital, Manchester. With 91 Engravings, fcap 8vo, 6s. 6d. [1874]

OBSTETRIC MEDICINE AND SURGERY

(The Principles and Practice of) by F. H. RAMSBOTHAM, M.D., F.R.C.P. Fifth Edition, 8vo, with 120 Plates on Steel and Wood, 22s. [1867]

OBSTETRIC APHORISMS

for the Use of Students commencing Midwifery Practice by J. G. SWAYNE, M.D., Physician-Accoucheur to the Bristol General Hospital. Fifth Edition, fcap 8vo, with Engravings on Wood, 3s. 6d. [1871]

SCHROEDER'S MANUAL OF MIDWIFERY,

including the Pathology of Pregnancy and the Puerperal State. Translated by CHARLES H. CARTER, B.A., M.D. 8vo, with Engravings, 12s. 6d. [1873]

A HANDBOOK OF UTERINE THERAPEUTICS

and of Diseases of Women by E. J. TILT, M.D., M.R.C.P. Third Edition, post 8vo, 10s. [1868]

BY THE SAME AUTHOR,

THE CHANGE OF LIFE

in Health and Disease: a Practical Treatise on the Nervous and other Affections incidental to Women at the Decline of Life. Third Edition, 8vo, 10s. 6d. [1870]

ENGLISH MIDWIVES:

their History and Prospects, by J. H. AVELING, M.D., Physician to the Chelsea Hospital for Women, Examiner of Midwives for the Obstetrical Society of London. Crown 8vo, 5s. [1872]

LECTURES ON THE DISEASES OF WOMEN

by CHARLES WEST, M.D., F.R.C.P. Lond. Third Edition, 8vo, 16s.

[1864]

DISEASES OF THE OVARIES :

their Diagnosis and Treatment, by T. SPENCER WELLS, F.R.C.S., Surgeon to the Queen's Household and to the Samaritan Hospital. 8vo, with about 150 Engravings, 21s.

[1872]

HANDBOOK FOR NURSES FOR THE SICK

by Miss VEITCH. Crown 8vo, 2s. 6d.

[1870]

A MANUAL FOR HOSPITAL NURSES

and others engaged in Attending on the Sick by EDWARD J. DOMVILLE, L.R.C.P., M.R.C.S. Second Edition, crown 8vo, 2s. 6d.

[1874]

A COMPENDIUM OF DOMESTIC MEDICINE

and Companion to the Medicine Chest; intended as a Source of Easy Reference for Clergymen, and for Families residing at a Distance from Professional Assistance, by JOHN SAVORY, M.S.A. Eighth Edition, 12mo, 5s.

[1871]

THE WIFE'S DOMAIN

The Young Couple—The Mother—The Nurse—The Nursling, by PHILOTHALOS. Second Edition, post 8vo, 3s. 6d.

[1874]

LECTURES ON WINTER COUGH

(Catarrh, Bronchitis, Emphysema, Asthma) by HORACE DOBELL, M.D., Senior Physician to the Royal Hospital for Diseases of the Chest. Second Edition, with Coloured Plates, 8vo, 8s. 6d.

[1872]

BY THE SAME AUTHOR,

THE TRUE FIRST STAGE OF CONSUMPTION

(Lectures on). Crown 8vo, 3s. 6d.

[1867]

DISEASES OF THE CHEST:

Contributions to their Clinical History, Pathology, and Treatment by A. T. H. WATERS, M.D., F.R.C.P., Physician to the Liverpool Royal Infirmary. Second Edition, 8vo, with Plates, 15s.

[1873]

PHTHISIS AND THE STETHOSCOPE;

or, the Physical Signs of Consumption, by R. P. COTTON, M.D., F.R.C.P., Senior Physician to the Hospital for Consumption, Brompton. Fourth Edition, fcap 8vo, 3s. 6d.

[1869]

DISEASES OF THE HEART

and of the Lungs in Connexion therewith—Notes and Observations by THOMAS SHAPTER, M.D., F.R.C.P. Lond., Senior Physician to the Devon and Exeter Hospital. 8vo, 7s. 6d.

[1874]

ON VALVULAR DISEASE OF THE HEART

(some of the causes and effects of). Croonian Lectures for 1865. By THOMAS B. PEACOCK, M.D., F.R.C.P., Physician to St. Thomas's Hospital. With Engravings, 8vo, 5s. [1865]

BY THE SAME AUTHOR,

ON MALFORMATIONS OF THE HUMAN HEART

With Original Cases and Illustrations. Second Edition, with Plates, 8vo, 10s. [1867]

THE ACTION AND SOUNDS OF THE HEART

(Researches on). By GEORGE PATON, M.D., author of numerous papers published in the British and American Medical Journals. Re-issue, with Appendix, 8vo, 3s. 6d. [1874]

NOTES ON ASTHMA;

its Forms and Treatment, by JOHN C. THOROWGOOD, M.D. Lond., Physician to the Hospital for Diseases of the Chest, Victoria Park. Second Edition, Revised and Enlarged, crown 8vo, 4s. 6d. [1873]

IRRITATIVE DYSPEPSIA

and its Important Connection with Irritative Congestion of the Windpipe and with the Origin and Progress of Consumption. By C. B. GARRETT, M.D. Crown 8vo, 2s. 6d. [1868]

GROWTHS IN THE LARYNX,

with Reports and an Analysis of 100 consecutive Cases treated since the Invention of the Laryngoscope by MORELL MACKENZIE, M.D. Lond., M.R.C.P., Physician to the Hospital for Diseases of the Throat. 8vo, with Coloured Plates, 12s. 6d. [1871]

BY THE SAME AUTHOR,

HOARSENESS, LOSS OF VOICE,

and Stridulous Breathing in relation to Nervo-Muscular Affections of the Larynx. Second Edition, 8vo, fully Illustrated, 3s. 6d. [1868]

ALSO,

THROAT HOSPITAL PHARMACOPŒIA,

containing upwards of 150 Formulæ. Second Edition, fcap 8vo, 2s. 6d. [1873]

MINERAL SPRINGS OF HARROGATE

(Dr. KENNION'S Observations on the). Ninth Edition, revised and enlarged by ADAM BEALEY, M.A., M.D. Cantab., F.R.C.P. Lond. Crown 8vo, 1s. [1873]

SKETCH OF CANNES AND ITS CLIMATE

By TH. DE VALCOURT, M.D. Paris, Physician at Cannes. Second Edition, with Photographic View and Six Meteorological Charts. crown 8vo, 2s. 6d. [1873]

WINTER AND SPRING

on the Shores of the Mediterranean; or, the Genoese Rivas, Italy, Spain, Greece, the Archipelago, Constantinople, Corsica, Sardinia, Sicily, Corfu, Malta, Tunis, Algeria, Smyrna, Asia Minor, with Biarritz and Arcachon, as Winter Climates. By HENRY BENNET, M.D. Fifth Edition, post 8vo, with numerous Plates, Maps, and Wood Engravings, 12s. 6d. [1874]

BY THE SAME AUTHOR,

TREATMENT OF PULMONARY CONSUMPTION

(On the) by Hygiene, Climate, and Medicine. Second Edition, enlarged, 8vo, 5s. [1871]

EGYPT AS A HEALTH RESORT;

with Medical and other Hints for Travellers in Syria, by A. DUNBAR WALKER, M.D. Fcap 8vo, cloth, 3s. 6d. [1873]

FAMILY MEDICINE FOR INDIA

A Manual, by WILLIAM J. MOORE, M.D., Surgeon-Major H.M. Indian Medical Service. Published under the Authority of the Government of India. Post 8vo, with 57 Engravings, 8s. 6d. [1874]

THE DISEASES OF TROPICAL CLIMATES

and their Treatment: with Hints for the Preservation of Health in the Tropics, by JAMES A. HORTON, M.D., Surgeon-Major of the Army Medical Department. Post 8vo, 12s. 6d. [1847]

BAZAAR MEDICINES OF INDIA

and Common Medical Plants: Remarks on their Uses, with Full Index of Diseases, indicating their Treatment by these and other Agents procurable throughout India, &c., by EDWARD J. WARING, M.D., F.R.C.P. Lond., Retired Surgeon H.M. Indian Army. Fcap 8vo, 4s. [1874]

ON SOME AFFECTIONS OF THE LIVER

and Intestinal Canal; with Remarks on Ague and its Sequelæ, Scurvy, Purpura, &c., by STEPHEN H. WARD, M.D. Lond., F.R.C.P., Physician to the Seamen's Hospital, Greenwich. 8vo, 7s. [1872]

ON DISEASES OF THE LIVER:

Lettsonian Lectures for 1872 by S. O. HABERSHON, M.D., F.R.C.P., Senior Physician to Guy's Hospital. Post 8vo, 3s. 6d. [1872]

THE STOMACH AND DUODENUM

(The Morbid States of) and their Relations to the Diseases of other Organs, by SAMUEL FENWICK, M.D., F.R.C.P., Assistant-Physician to the London Hospital. 8vo, with 10 Plates, 12s. [1868]

CONSTIPATED BOWELS:

the Various Causes and the Different Means of Cure, by S. B. BIRCH, M.D., M.R.C.P. Third Edition, post 8vo, 3s. 6d. [1868]

DIABETES:

Researches on its Nature and Treatment by F. W. PAVY, M.D., F.R.S., F.R.C.P., Physician to Guy's Hospital. Second Edition, 8vo, with Engravings, 10s. [1868]

BY THE SAME AUTHOR,

DIGESTION:

its Disorders and their Treatment. Second Edition, 8vo, 8s. 6d.

[1869]

BY THE SAME AUTHOR,

FOOD AND DIETETICS

Physiologically and Therapeutically Considered. 8vo, 16s. [1874]

THE INDIGESTIONS;

or, Diseases of the Digestive Organs Functionally Treated, by T. K. CHAMBERS, M.D., F.R.C.P., Lecturer on Medicine at St. Mary's Hospital. Second Edition, 8vo, 10s. 6d. [1867]

IMPERFECT DIGESTION:

its Causes and Treatment by ARTHUR LEARED, M.D., F.R.C.P., Senior Physician to the Great Northern Hospital. Fifth Edition, fcap 8vo, 4s. 6d. [1870]

ON MEGRIM, SICK-HEADACHE,

and some Allied Disorders: a Contribution to the Pathology of Nerve-Storms by EDWARD LIVEING, M.D. Cantab., Hon. Fellow of King's College, London. 8vo, with Coloured Plate, 15s. [1873]

IRRITABILITY:

Popular and Practical Sketches of Common Morbid States and Conditions bordering on Disease; with Hints for Management, Alleviation, and Cure, by JAMES MORRIS, M.D. Lond. Crown 8vo, 4s. 6d.

[1868]

STUDIES ON FUNCTIONAL NERVOUS DISORDERS

by C. HANDFIELD JONES, M.B., F.R.C.P., F.R.S., Physician to St. Mary's Hospital. Second Edition, much enlarged, 8vo, 18s. [1870]

NEURALGIA AND KINDRED DISEASES

of the Nervous System: their Nature, Causes, and Treatment, with a series of Cases, by JOHN CHAPMAN, M.D., M.R.C.P. 8vo, 14s. [1873]

SYMPATHETIC SYSTEM OF NERVES

as a Physiological Basis for a Rational System of Therapeutics (On the Functions of the) by EDWARD MERYON, M.D., F.R.C.P., Physician to the Hospital for Diseases of the Nervous System. 8vo, 3s. 6d. [1872]

A TREATISE ON GOUT, RHEUMATISM

and the Allied Affections, by P. HOOD, M.D. Crown 8vo, 10s. 6d.

[1871]

A TREATISE ON RHEUMATIC GOUT,

or Chronic Rheumatic Arthritis of all the Joints, by ROBERT ADAMS, M.D., M.R.I.A., Surgeon to H.M. the Queen in Ireland, Regius Professor of Surgery in the University of Dublin. Second Edition, 8vo, with Atlas of Plates, 2ls. [1872]

TEMPERATURE OBSERVATIONS

containing (1) Temperature Variations in the Diseases of Children, (2) Puerperal Temperatures, (3) Infantile Temperatures in Health and Disease, by WM. SQUIRE, M.R.C.P. Lond. 8vo, 5s. [1871]

MYCETOMA ;

or, the Fungus Disease of India, by H. VANDYKE CARTER, M.D., Surgeon-Major H.M. Indian Army. With 11 Coloured Plates, 4to, 42s.

[1874]

THE ORIGIN OF CANCER

considered with Reference to the Treatment of the Disease by CAMPBELL DE MORGAN, F.R.S., F.R.C.S., Surgeon to the Middlesex Hospital. Crown 8vo, 3s. 6d. [1872]

CANCER:

its varieties, their Histology and Diagnosis, by HENRY ARNOTT, F.R.C.S., Assistant-Surgeon to, and Lecturer on Morbid Anatomy at, St. Thomas's Hospital. 8vo, with 5 Lithographic Plates and 22 Wood Engravings, 5s. 6d. [1872]

CANCEROUS AND OTHER INTRA-THORACIC GROWTHS:

their Natural History and Diagnosis, by J. RISDON BENNETT, M.D., F.R.C.P., Member of the General Medical Council. Post 8vo, with Plates, 8s. [1872]

CERTAIN FORMS OF CANCER

(a New and successful Mode of Treating), to which is prefixed a Practical and Systematic Description of all the varieties of this Disease, by ALEX. MARSDEN, M.D., F.R.C.S.E., Consulting Surgeon to the Royal Free Hospital, and Senior Surgeon to the Cancer Hospital, London and Brompton. Second Edition, with Coloured Plates and Illustrative Cases, 8vo, 8s. 6d. [1873]

ON DISEASES OF THE SKIN:

a System of Cutaneous Medicine by ERASMUS WILSON, F.R.C.S.,
F.R.S. Sixth Edition, 8vo, 18s., with Coloured Plates, 36s. [1867]

BY THE SAME AUTHOR,

LECTURES ON EKZEMA

and Ekzematous Affections: with an Introduction on the General
Pathology of the Skin, and an Appendix of Essays and Cases. 8vo,
10s. 6d. [1870]

ALSO,

LECTURES ON DERMATOLOGY

delivered at the Royal College of Surgeons, 1870, 6s.; 1871-3, 10s. 6d.

ECZEMA

by MCCALL ANDERSON, M.D., Professor of Clinical Medicine in the
University of Glasgow. Third Edition, 8vo, with Engravings, 7s. 6d.
[1874]

BY THE SAME AUTHOR,

THE PARASITIC AFFECTIONS OF THE SKIN

Second Edition, 8vo, with Engravings, 7s. 6d. [1868]

DISEASES OF THE SKIN

in Twenty-four Letters on the Principles and Practice of Cutaneous
Medicine, by HENRY EVANS CAUTY, Surgeon to the Liverpool Dis-
pensary for Diseases of the Skin, 8vo, 12s. 6d. [1874]

ULCERS AND CUTANEOUS DISEASES

of the Lower Limbs (A Manual of the Pathology and Treatment of)
by J. K. SPENDER, M.D. Lond. 8vo, 4s. [1868]

FOURTEEN COLOURED PHOTOGRAPHS OF LEPROSY

as met with in the Straits Settlements, with Explanatory Notes by
A. F. ANDERSON, M.D., Acting Colonial Surgeon, Singapore. 4to,
31s. 6d. [1872]

WORMS:

a Series of Lectures delivered at the Middlesex Hospital on Practical
Helminthology by T. SPENCER COBBOLD, M.D., F.R.S. Post 8vo,
5s. [1872]

OXYGEN:

its Action, Use, and Value in the Treatment of Various Diseases
otherwise Incurable or very Intractable, by S. B. BIRCH, M.D.,
M.R.C.P. Second Edition, post 8vo, 3s. 6d. [1868]

MEDICAL JURISPRUDENCE

(The Principles and Practice of) by ALFRED S. TAYLOR, M.D., F.R.C.P., F.R.S. Second Edition, 2 vols., 8vo, with 189 Wood Engravings, £1 11s. 6d. [1873]

BY THE SAME AUTHOR,

A MANUAL OF MEDICAL JURISPRUDENCE

Ninth Edition. Crown 8vo, 14s. [1874]

A TOXICOLOGICAL CHART,

Exhibiting at one View the Symptoms, Treatment, and mode of Detecting the various Poisons—Mineral, Vegetable, and Animal: with Concise Directions for the Treatment of Suspended Animation, by WILLIAM STOWE, M.R.C.S.E. Thirteenth Edition, 2s.; on roller, 5s. [1872]

THE MEDICAL ADVISER IN LIFE ASSURANCE

by EDWARD HENRY SIEVEKING, M.D., F.R.C.P., Physician to St. Mary's and the Lock Hospitals; Physician-Extraordinary to the Queen; Physician-in-Ordinary to the Prince of Wales, &c. Crown 8vo, 6s. [1874]

THE LAWS AFFECTING MEDICAL MEN

(A Manual of) by ROBERT G. GLENN, LL.B., Barrister-at-Law; with a Chapter on Medical Etiquette by Dr. A. CARPENTER. 8vo, 14s. [1871]

LECTURES ON MADNESS

in its Medical, Legal, and Social Aspects by EDGAR SHEPPARD, M.D., M.R.C.P., Professor of Psychological Medicine in King's College; one of the Medical Superintendents of the Colney Hatch Lunatic Asylum. 8vo, 6s. 6d. [1873]

LECTURES ON MENTAL DISEASES

by WILLIAM HENRY OCTAVIUS SANKEY, M.D. Lond., F.R.C.P., Lecturer on Mental Diseases at University College, London. 8vo, 8s. [1866]

THE MEDICAL JURISPRUDENCE OF INSANITY

by J. H. BALFOUR BROWNE, Barrister-at-Law. 8vo, 10s. 6d. [1871]

HANDBOOK OF LAW AND LUNACY;

or, the Medical Practitioner's Complete Guide in all Matters relating to Lunacy Practice, by J. T. SABBEN, M.D., and J. H. BALFOUR BROWNE. 8vo, 5s. [1872]

ON CEREBRIA

and other Diseases of the Brain by CHARLES ELAM, M.D., F.R.C.P., Assistant-Physician to the National Hospital for Paralysis and Epilepsy. 8vo, 6s. [1872]

PSYCHOLOGICAL MEDICINE:

A Manual, containing the Lunacy Laws, the Nosology, Ætiology, Statistics, Description, Diagnosis, Pathology (including Morbid Histology), and Treatment of Insanity, by J. C. BUCKNILL, M.D., F.R.S., and D. H. TUKE, M.D. Third Edition, much Enlarged, with 10 Plates and 34 Wood Engravings, 8vo, 25s. [1873]

THE INFLUENCE OF THE MIND UPON THE BODY

in Health and Disease (Illustrations of), designed to elucidate the Action of the Imagination, by DANIEL HACK TUKE, M.D., M.R.C.P. 8vo, 14s. [1872]

OBSCURE DISEASES OF THE BRAIN AND MIND

by FORBES WINSLOW, M.D., D.C.L. Oxon. Fourth Edition, post 8vo, 10s. 6d. [1868]

A MANUAL OF PRACTICAL HYGIENE

by E. A. PARKES, M.D., F.R.C.P., F.R.S., Professor of Hygiene in the Army Medical School. Fourth Edition, 8vo, with Plates and Woodcuts, 16s. [1873]

A HANDBOOK OF HYGIENE

for the Use of Sanitary Authorities and Health Officers by GEORGE WILSON, M.D. Edin., Medical Officer of Health for the Warwick Union of Sanitary Authorities. Second Edition, crown 8vo, with Engravings, 8s. 6d. [1873]

HANDBOOK OF MEDICAL ELECTRICITY

by HERBERT TIBBITS, M.D., M.R.C.P.E., Medical Superintendent of the National Hospital for the Paralysed and Epileptic. 8vo, with 64 Wood Engravings, 6s. [1873]

CLINICAL USES OF ELECTRICITY

(Lectures on the) delivered at University College Hospital by J. RUSSELL REYNOLDS, M.D. Lond., F.R.C.P., F.R.S., Professor of Medicine in University College. Second Edition, post 8vo, 3s. 6d. [1873]

ATLAS OF OPHTHALMOSCOPY:

representing the Normal and Pathological Conditions of the Fundus Oculi as seen with the Ophthalmoscope: composed of 12 Chromolithographic Plates (containing 59 Figures), accompanied by an Explanatory Text by R. LIEBREICH, Ophthalmic Surgeon to St. Thomas's Hospital. Translated into English by H. ROSBOROUGH SWANZY, M.B. Dub. Second Edition, Enlarged and Revised, 4to, £1 10s. [1870]

AUTOBIOGRAPHICAL RECOLLECTIONS

of the Medical Profession, being personal reminiscences of many distinguished Medical Men during the last forty years, by J. FERNANDEZ CLARKE, M.R.C.S., for many years on the Editorial Staff of the 'Lancet,' Post 8vo, 10s. 6d. [1874]

A DICTIONARY OF MEDICAL SCIENCE

Containing a concise explanation of the various subjects and terms of Anatomy, Physiology, Pathology, Hygiene, Therapeutics, Medical Chemistry, Pharmacology, Pharmacy, Surgery, Obstetrics, Medical Jurisprudence and Dentistry; Notices of Climate and Mineral Waters; formulæ for Officinal, Empirical, and Dietetic Preparations; with the Accentuation and Etymology of the terms and the French and other Synonyms, by ROBLEY DUNGLISON, M.D., LL.D. New Edition, enlarged and thoroughly revised by RICHARD J. DUNGLISON, M.D. Royal 8vo, 25s. [1874]

A MEDICAL VOCABULARY;

or, an Explanation of all Names, Synonymes, Terms, and Phrases used in Medicine and the relative branches of Medical Science, by R. G. MAYNE, M.D., LL.D. Third Edition, fcap 8vo, 8s. 6d. [1868]

A MANUAL OF OPHTHALMIC MEDICINE AND SURGERY

by T. WHARTON JONES, F.R.S., Professor of Ophthalmic Medicine and Surgery in University College. Third Edition, much Enlarged and thoroughly Revised, with 9 Coloured Plates and 173 Engravings on Wood, fcap 8vo, 12s. 6d. [1865]

A MANUAL OF THE DISEASES OF THE EYE

by C. MACNAMARA, Surgeon to the Calcutta Ophthalmic Hospital Second Edition, fcap 8vo, with Coloured Plates, 12s. 6d. [1872]

DISEASES OF THE EYE

(A Treatise on the) by J. SOELBERG WELLS, F.R.C.S., Ophthalmic Surgeon to King's College Hospital and Surgeon to the Royal London Ophthalmic Hospital. Third Edition, 8vo, with Coloured Plates and Wood Engravings, 25s. [1873]

BY THE SAME AUTHOR,

ON LONG, SHORT, AND WEAK SIGHT,

and their Treatment by the Scientific use of Spectacles. Fourth Edition, Revised and Enlarged, 8vo, 6s. [1873]

DISEASES OF THE EYE

(Illustrations of some of the Principal), with an Account of their Symptoms, Pathology, and Treatment, by HENRY POWER, F.R.C.S., M.B. Lond., Ophthalmic Surgeon to St. Bartholomew's Hospital. Svo, with 12 Coloured Plates, 20s. [1867]

A SYSTEM OF DENTAL SURGERY

by JOHN TOMES, F.R.S., and CHARLES S. TOMES, M.A., Lecturer on Dental Anatomy and Physiology, and Assistant Dental Surgeon to the Dental Hospital of London. Second Edition, fcap 8vo, with 268 Engravings, 14s. [1873]

A MANUAL OF DENTAL MECHANICS

with an Account of the Materials and Appliances used in Mechanical Dentistry, by OAKLEY COLES, L.D.S., R.C.S., Surgeon-Dentist to the Hospital for Diseases of the Throat. Crown 8vo, with 140 Wood Engravings, 7s. 6d. [1873]

HANDBOOK OF DENTAL ANATOMY

and Surgery for the use of Students and Practitioners by JOHN SMITH, M.D., F.R.S. Edin., Surgeon-Dentist to the Queen in Scotland. Second Edition, fcap 8vo, 4s. 6d. [1871]

EPIDEMIOLOGY;

or, the Remote Cause of Epidemic Diseases in the Animal and in the Vegetable Creation, by JOHN PARKIN, M.D., F.R.C.S. Part I, 8vo, 5s. [1873]

GERMINAL MATTER AND THE CONTACT THEORY:

an Essay on the Morbid Poisons by JAMES MORRIS, M.D. Lond. Second Edition, crown 8vo, 4s. 6d. [1867]

DISEASE GERMS;

and on the Treatment of the Feverish State, by LIONEL S. BEALE, M.B., F.R.C.P., F.R.S., Physician to King's College Hospital. Second Edition, crown 8vo, with 28 Plates, 12s. 6d. [1872]

THE GRAFT THEORY OF DISEASE

being an Application of Mr. DARWIN'S Hypothesis of Pangenesis to the Explanation of the Phenomena of the Zymotic Diseases, by JAMES ROSS, M.D., Waterfoot, near Manchester. 8vo, 10s. [1872]

ZYMOTIC DISEASES:

their Correlation and Causation. By A. WOLFF, F.R.C.S. Post 8vo, 5s. [1872]

The following CATALOGUES issued by Messrs CHURCHILL
will be forwarded post free on application :

1. *Messrs Churchill's General List of nearly 600 works on Medicine, Surgery, Midwifery, Materia Medica, Hygiene, Anatomy, Physiology, Chemistry, &c., &c., with a complete Index to their Titles, for easy reference.*

N.B.—*This List includes Nos. 2 and 3.*

2. *Selection from Messrs Churchill's General List, comprising all recent Works published by them on the Art and Science of Medicine.*

3. *A descriptive List of Messrs Churchill's Works on Chemistry, Pharmacy, Botany, Photography, and other branches of Science.*

4. *Messrs Churchill's Red-Letter List, giving the Titles of forthcoming New Works and New Editions.*

[Published every October.]

5. *The Medical Intelligencer, an Annual List of New Works and New Editions published by Messrs J. & A. Churchill, together with Particulars of the Periodicals issued from their House.*

[Sent in January of each year to every Medical Practitioner in the United Kingdom whose name and address can be ascertained. A large number are also sent to the United States of America, Continental Europe, India, and the Colonies.]

MESSRS CHURCHILL have a special arrangement with MESSRS LINDSAY & BLAKISTON, OF PHILADELPHIA, in accordance with which that Firm act as their Agents for the United States of America, either keeping in Stock most of Messrs CHURCHILL's Books, or reprinting them on Terms advantageous to Authors. Many of the Works in this Catalogue may therefore be easily obtained in America.

